HTE# 13-5-30630

Harnett County Department of Public Health

Improvement Permit

27308

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Old US421
SUBDIVISION Manie Bell Ridge Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 5FD 52x45' Proposed Wastewater System Type: 25% Reduction Justem Projected Daily Flow: 480 GPD Number of bedrooms: 4 Number of Occupants: 8 max Basement □Yes ☑ No ☐ May be required based on final location and elevations of facilities Pump Required: □Yes Type of Water Supply:

Community Public Well Distance from well ______ feet Five years Permit valid for: Permit conditions: ☐ No expiration Date: 2/28/2013 Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance Facility Type: SFD 52x45 PROPERTY LOCATION: 6/d 05/21

SUBDIVISION Memic Bell Lidge LOT # 59

Expansion Repair Basement? ☐ Yes ☑ No Basement Fixtures? ☐ Yes ☐ No Type of Wastewater System** 257 Reduction System (Initial) Wastewater Flow: 480 GPD (See note below, if applicable)

2572 Reduction System (Repair)

Number of trenches 2 Exact length of each trench /00 feet Trench Spacing: 9 Feet on Center Septic Tank Size /OOO gallons Trenches shall be installed on contour at a Soil Cover: 18-6 inches Pump Tank Size _____ gallons Maximum Trench Depth of: 36-18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM Aggregate Depth: inches below pipe inches above pipe Conditions: Start d: tcher at 36 inches WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent:

Construction Authorization Expiration Date: 2/23/2018

Harnett County Department of Public Health Site Sketch

ISSUED TO: Savry H	PROPERTY LOCATON: Old US 421 mes Subdivision Manie Bell Ridge LOT # 59
Authorized State Agent:	_ Mc Loing REHS Date: 2/28/2017
25-4	Repair Area Repair Area Repair Area Rio' 230' House 199'