HTE# 13-5-30730 R

Harnett County Department of Public dealth

Improvement Permit

27300

A building permit cannot be issued with only an Improvement Permit	
ISSUED TO: SAYY HOMES LLC SUBDIVISION KENZAN FARMS	LOT # 68
NEW REPAIR D EXPANSION D Site Improvements required prior to Construction Authoriza	
Type of Structure: SFD (42×48')	non issuance.
Proposed Wastewater System Type: Pume To 25% REDUCTION	
Projected Daily Flow: 460 GPD	
Number of bedrooms: Number of Occupants: 8 max	
Basement 🗆 Yes 🔀 No	
Pump Required: ───────────────────────────────────	
Type of Water Supply: Community Public Well Distance from well 100 feet Permit valid for: Permit conditions:	Five years No expiration
Authorized State Agent: REPTS Date: 31513 SEE ATTACL	
Julio	HED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in me site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to continue and Disposal and to conditions of this permit.	eting their requirements. This ipliance with the provisions of
Construction Authorization	
(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be	all be installed in accordance
with the attached system layout.	
ISSUED TO: SAVY HOMES LIC PROPERTY LOCATION: WIRE RO SUBDIVISION KENLAN FARMS	
	LOT # <u>&&</u>
Facility Type: SFO (42-248) Mew Expansion Repair	
Basement? Yes Ko Basement Fixtures? Yes Ko No	_
Type of Wastewater System** Pune To 25% REDUCTION (Initial) Wastewater Flow:	<u>ትኛ </u>
(See note below, if applicable \square)	
Pume To 25% REDUCTION (Repair)	
Installation Requirements/Conditions Number of trenches 3	
Septic Tank Size <u>1000</u> gallons	eet on Center
Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Soil Cover: 6-12 inc	
Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not	
(Trench bottoms shall be level to $\pm 1/4$ " 36" above the trench bottom	
in all directions)	7
Pump Requirements:ft. TDH vs GPM	inches below pipe
Aggregate Depth:	
Conditions: SUPPLY LINE TO EASEMENT ALREADY INSTRUCTO	inches above pipe inches total
	menes total
WATER LINES (INCLUDING IRRICATION) MUST BE TOTAL FROM ANY RART OF SERVIC SYSTEM OR REDAIN AREA	
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this	permit.
Owner/Legal Representative Signature: Date:	
	rship of the site. This TACHED SITE SKETCH
Construction Authorization in subject to compliance with the previsions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	

Harnett County Department of Public Health Site Sketch

