HTE# 13-5-3 1304

Harnett County Department of Public Health

Improvement Permit

27514

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: TINGEN RD SUBDIVISION PATIONS POINTS EXPANSION 🗆 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 5FO (52×66') Proposed Wastewater System Type: 25% OREDUCTION SYSTEM Projected Daily Flow: 360 Number of Occupants: Number of bedrooms: _ Basement ☐Yes ✓ No ☐ May be required based on final location and elevations of facilities Pump Required: □Yes

No Type of Water Supply:

Community Public

Well Distance from well

Community feet Five years Permit valid for: ☐ No expiration Permit conditions: Authorized State Agent::

Date: 57 7 3 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: ISRAEL LUCAS PROPERTY LOCATION: TINGEN RD SUBDIVISION PATIONS POINT Facility Type: SEO (52×60) New Expansion Repair No Basement Fixtures? ☐ Yes 🖂 No Basement? Yes 25% PEDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable □) 25% REDUCTION SYSTEM (Repair) Number of trenches _____ Installation Requirements/Conditions Exact length of each trench \(\frac{150}{50}\) feet Trench Spacing: \(\frac{0}{1}\) Feet on Center Septic Tank Size 1000 gallons Soil Cover: 24-12 inches Pump Tank Size _____ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 3624 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: / understand the system type specified is different from the type specified on the application. / accept the specifications of this permit. Owner/Legal Representative Signature: _ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provinces of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

