HTE#_13-5-31358

Harnett County Department of Public Health

Improvement Permit

27473

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 27 west

SUBDIVISION Tingen Pointe LOT # 135 Site Improvements required prior to Construction Authorization Issuance: REPAIR □ , EXPANSION □ Type of Structure: ____SFO 60x 40 Proposed Wastewater System Type: 2572 Reduction Justem Projected Daily Flow: 360 GPD Number of bedrooms: ______ Number of Occupants: _ Basement TYes ☐ May_be required based on final location and elevations of facilities ☑ No Pump Required: □Yes Type of Water Supply:
Community Public Well Distance from well ______feet Five years Permit valid for: ■ No expiration Permit conditions: Authorized State Agent: Date: C / 5 / 2013 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 27 west SUBDIVISION Tingen Pointe LOT # 135 New Expansion Expansion Facility Type: ____ Basement Fixtures? ☐ Yes ☐ No Basement? Yes Type of Wastewater System** 2573 Reduct: on System (Initial) Wastewater Flow: 360 (See note below, if applicable) Installation Requirements/Conditions Exact length of each trench 150 feet Trench Spacing: 9 Feet on Center Septic Tank Size / ∞ 0 gallons Soil Cover: /2 Pump Tank Size _____ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) _____ inches below pipe Pump Requirements: ______ft. TDH vs. _____ GPM Aggregate Depth: ______ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: _ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Construction Authorization Expiration Date: 6/5/2 Authorized State Agent://

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: 27 west	
ISSUED TO: Weaver Homes	SUBDIVISION Tingen Pointe	LOT # _ <i>135</i>
Authorized State Agent: Duyn Missin ROW	Date: 6/5/243	
8 7 7 7		

