

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE		IV		SIC-SILTY CLAY	0.4 - 0.1
FP-FLOOD PLAN	C-CLAY SC-SANDY CLAY				

STRUCTURE

- SG-SINGLE GRAIN
- M- MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE


Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for drawing site profiles and features. The grid is approximately 20 columns wide and 25 rows high, providing a space for technical drawings and annotations.

MAP NO. 2012-88

CURVE RADIUS	LENGTH	CHORD	CH. BEARING
C-1	25.00'	39.27'	N 47°34'53"E

"JUNO DRIVE" 50' R/W



MAP REFERENCE: MAP NO. 2012-88


SITE PLAN APPROVAL

DISTRICT RA-20R USE SFD

#BEDROOMS 3

5.28.13
[Signature]
 ZONING ADMINISTRATOR

- MINIMUM BUILDING SET BACKS
- FRONT YARD — 30'
 - REAR YARD — 25'
 - SIDE YARD — 10'
 - CORNER LOT SIDE YARD — 20'
 - MAXIMUM HEIGHT — 35'



SURVEY FOR				BENNETT SURVEYS	
PROPOSED PLOT PLAN - LOT - 126				1662 CLARK RD., LILLINGTON, N.C. 27546	
TINGEN POINTE S/D, PHASE FIVE				(910) 893-5252	
TOWNSHIP	BARBECUE	COUNTY	HARNETT	20' 0 40'	SURVEYED BY:
STATE: NORTH CAROLINA		DATE: MAY 22, 2013		SCALE: 1" = 40'	DRAWN BY: RVB
ZONE	WATERSHED DISTRICT	TAX PARCEL ID:		CHECKED & CLOSURE BY:	
RA-20R				13198	