Department of Environment, Health and N	Resources
Division of Environmental Health	
On Site Wastewater Section	

Sheet: Property __ . Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Applicant: Address: Date Evaluated: Proposed Facility: Design Flow (.1949): Design Flo									
P R O F I L E	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
)	5-7	0-22	6 49	VER USTA					
		2241	28K 5KL	VER 45/48					P5
2		0.37	GLS	VES 43/18					
		27.38	SBILSUL	150 45 MB					P5 =
3		0-36	59K 562	ven ustil					P5
Description Initial Repair System System Other Factors (.1946): Site Classification (.1948): Evaluated By:									
	le Space (.194	3)		12	Others Present:	.41			
System Type(s) 25 NGO (V M) Others Present:									

151 RVN-24"

COMMENTS: ____

LANDSCAPE POSITIONS	<u>GROUP</u>	TEXTURES	. <u>1955 LTAR</u>	CONSISTENCE MOIST	WET	
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY	
FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	П	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	S-STICKY VS-VERY STICKY NP-NON-PLASTIC	
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	III	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3		SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC	

ΙV SIC-SILTY CLAY 0.4 - 0.1 C-CLAY

SC-SANDY CLAY

MINERALOGY SLIGHTLY EXPANSIVE

CR-CRUMB **GR-GRANULAR** SBK-SUBANGULAR BLOCKY ABK-ANGULAR BLOCKY

EXPANSIVE

PL-PLATY PR-PRISMATIC

STRUCTURE

M- MASSIVE

SG-SINGLE GRAIN

Show profile locations and other site features (dimensions, references or benchmark, and North)

