HTE# 13-5-31985R

Harnett County Department of Public Health

Improvement Permit

27669

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: IEMPLE RO ISSUED TO: RG WILLIAMS CONST CO SUBDIVISION JEFF HULL Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFO (52×5) Proposed Wastewater System Type: 25% REDUCTION Projected Daily Flow: GPD Number of Occupants: Number of bedrooms: Pump Required: □Yes □ No May be required based on final location and elevations of facilities Type of Water Supply:

Community Public Well Distance from well \OO feet Five years Permit valid for: Permit conditions: ~ ☐ No expiration RGHS Date: _ The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permushall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: RG WILLIAMS CONS CO PROPERTY LOCATION: TEMPLE RO SUBDIVISION JEFF HULL LOT # 2A Facility Type: 5FD(5½×5½) Mew Expansion ☐ Repair Basement?

Yes

No Basement Fixtures?

Yes

No

Type of Wastewater System**

SYSTEM

(Initial) Wastewater Flow:

GPD (See note below, if applicable) Pump 5 25% REDUCTION (Repair) Number of trenches Installation Requirements/Conditions Exact length of each trench 60 feet Trench Spacing: 9 Feet on Center Trenches shall be installed on contour at a Soil Cover: inches Septic Tank Size 1000 gallons Pump Tank Size gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM Aggregate Depth: ______ inches below pipe inches below pipe Conditions: _____ WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provision of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: _

Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

Authorized State Agent:


PROPERTY LOCATON: TEMPLE RO
SUBDIVISION SEFE HULL

PROPERTY LOCATON: TEMPLE RO

LOT # 2A

PROPERTY LOCATON: TEMPLE RO

Date: 9 12 13



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Applicant:

Owner:

Address:

Description

System Type(s)

Site LTAR

Available Space (.1945)

Initial

System

Repair System

1260

Sheet:
Property ID:
Lot #:
File #:
Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Date Evaluated:

Locati Water Evalua	sed Facility: on of Site: Supply: ation Method of Wastewate	l: Auge	Desig Prope Public I	gn Flow (.1949): 3 erty Recorded: ndividual UN Pit Industrial	Well Spring	e:	er		
P R O F I L E	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
ı	2-5	<i>ه</i> د-٥	G 5	UFIZADIAD					
		26-40	58 x 542	FD 39/46	10107/2 36°				P5
		0 K	G D	VALIBILA					
		X X	v		10/10/10e 38				13
					·			Martin Control of the	
		0.10	65	resupple	10107 De 32.				67
		(6-D	235 20	FD Solop	10427 De32		T- 11 2000-0 11 2		124
		030	C 5	Mensor					
		30 ५५	58×502	10000M					es ₂₄
							77		
						·			

Other Factors (.1946): Site Classification (.1948):

Evaluated By:

Others Present: