

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

STRUCTURE

- SG-SINGLE GRAIN
- M- MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE


Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for site profile locations and features. The grid is approximately 20 columns wide and 25 rows high. It is intended for recording profile locations, dimensions, references, benchmarks, and orientation (North).

MAP NO. 2013-303

MAP REFERENCE MAP NO. 2013-303


SITE PLAN APPROVAL
 DISTRICT BARBOR USE SFP
 #BEDROOMS 4
10-2-13
 Zoning Administrator



CURVE	RADIUS	LENGTH	CHORD	CH BEARING
C-1	50.00'	79.45'	71.35'	N 66°44'34"E

910 257 3277

MINIMUM BUILDING SET BACKS
 FRONT YARD — 35'
 REAR YARD — 25'
 SIDE YARD — 10'
 CORNER LOT SIDE YARD — 20'
 MAXIMUM HEIGHT — 35'



SURVEY FOR		BENNETT SURVEYS	
PROPOSED PLOT PLAN - LOT - 63		1662 CLARK RD. LILLINGTON N.C. 27546	
TROTTER'S RIDGE S/D, PHASE - 2-B		(910) 893-5252	
TOWNSHIP	BARBEQUE	COUNTY	HARNETT
STATE	NORTH CAROLINA	DATE	SEPTEMBER 25, 2013
ZONING	RA 20R	WATERSHED DISTRICT	TAX PARCEL ID#
SCALE: 1" = 40'		SURVEYED BY:	FIELD BOOK
CHECKED & CLOSURE BY:		DRAWN BY: RVB	DRAWING NO.
			13360