HTE# 14-5-32928


## Harnett County Department of Public Health

27907

Improvement Permit

A building permit cannot be issued with only an Improvement Permit  PROPERTY LOCATION: PERMUT Ly (BRIGGS Ro)
ISSUED TO: H+H ONSITE HOMES SUBDIVISION LOT # 15
NEW X REPAIR  EXPANSION  Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: SFO (42-35)
Proposed Wastewater System Type: Pum & To 25% REDUCTION
Projected Daily Flow: 480 GPD
Number of bedrooms: Number of Occupants:max  Basement
Pump Required: XVes   \text{No}   \text{May be required based on final location and elevations of facilities}
Type of Water Supply:   Community Public Well Distance from well feet  Permit valid for:  No expiration
Authorized State Agent:: Date: 3 17 14 SEE ATTACHED SITE SKETCH
Authorized State Agent::  The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.
Construction Authorization
(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.
ISSUED TO: H+H ONSITE HOMES PROPERTY LOCATION: PERNUT L. (BRICGS RD) SUBDIVISION - LOT # 15
Facility Type: SFO(42×35)  New Expansion Repair
Basement?  Yes No Basement Fixtures?  Yes No
Type of Wastewater System** Pume To 25° Lo REDUCTION SYSTEM (Initial) Wastewater Flow: 480 GPD
(See note below, if applicable L) FILL SYSTEM / SHALLOW 25% (Repair)
Installation Requirements/Conditions Number of trenches 3
Septic Tank Size 1000 gallons Exact length of each trench 140 feet Trench Spacing: 9 Feet on Center
Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Soil Cover: 6 inches
Maximum Trench Depth of: 12-14 inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to $\pm 1/4$ " 36" above the trench bottom)
in all directions)
Pump Requirements: ft TDH vs GPM inches below nine
Aggregate Depth: inches above pipe
Conditions: SEE CONDITIONS ON SITE SKETCH Aggregate Depth: inches above pipe inches total
WATER LINES (INC. URING IRRIGATION) AND TREASED FROM ANY PART OF SERVICE SYSTEM OR REPAIR ARE
VATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. IO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.
*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature:
onstruction Authorization is subject to compliance with the provisions of the laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.
Authorized State Agent: Date: 3 ) 7 14
Construction Authorization Expiration Date: 3/17/19

## Harnett County Department of Public Health Site Sketch



- TIME DOSE PANEL REQUIRED
- · APPROPRIATE SOIL COVER NEEDED OVER DRAINFIELD
- · BOTTOM THO LINES TO BE INSTALZED AT 12".
- · No SEPTIC WORK TO BE DONE UNDER WET SOIL CONDITIONS