HTE# 14-5-33510

## Harnett County Department of Public Health

28003

**Improvement Permit** 

A	building permit cannot be issued with		<b>₹</b> }	
ISSUED TO: H+H CONSTRUCT	PROPERTY LOCAT	de la companya de la	Ko	
NEW REPAIR D EXPANSIO	OLOS 140 TORDINISION T	OARMONT		LOT # <u>37</u>
NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:  Type of Structure: 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				
Proposed Wastewater System Type: 25% o REO	1XZICI-I			
Projected Daily Flow: 360 GPD	<u> </u>			
Number of bedrooms: Number of Occup	ants: C max			
Basement $\square$ Yes $\bowtie$ No	and.			
	red based on final location and eleva	tions of facilities		
	☐ Well Distance from well		Permit valid for:	Five years  No expiration
Authorized Coate Associa	REAS Date:	abouter		
Authorized State Agent::		6127117	SEE AT	TACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guaran site is subject to revocation if the site plan, plat, or the intended use of the Laws and Rules for Sewage Treatment and Disposal and to condition	hanges. The Improvement Permit shall not be a	flected by a change in owne	cking with appropriate governing bodies in state of the site. This permit is subject to	omeeting their requirements. This compliance with the provisions of
Construction Authorization				
	(Required for Buildin			
The construction and installation requirements of Rules .1950, .1952, .19 with the attached system layout.			·	s shall be installed in accordance
ISSUED TO: H+H CONSTRUCTORS INC PROPERTY LOCATION: DOCS RD  SUBDIVISION DAYMONT LOT # 37				
Facility Type: SFO(55×64)	SUBDIVISIO		<u> </u>	LOT # <u>3 )</u>
Facility Type: 3400557690	New 🔲 Expansi	ion 🗌 Repair		
Basement?  Yes  No Basement Fixt	ures? 🗆 Yes 💢 No			
Type of Wastewater System**	REDUCTION SY	STEM	(Initial) Wastewater Flow:	<u> 360</u> GPD
(See note below, if applicable □)	<b>~</b>			
PBB	(5	_(Repair)		
Installation Requirements/Conditions	Number of trenches1		^	
Septic Tank Size 1000 gallons	Exact length of each trench 3	<b>6</b> feet	Trench Spacing:	Feet on Center
Pump Tank Size 1000 gallons	Trenches shall be installed on co			inches
(IF MEEDED)	Maximum Trench Depth of: 18		(Maximum soil cover shall	
	(Trench bottoms shall be level to		36" above the trench bot	
	in all directions)		Jo above the trench bot	will
Pump Requirements:ft. TDH vs				
rump nequirementsit. 1011 43	_ 0111			inches below pipe
Conditions			Aggregate Depth:	
Conditions:				inches total
WITTER LIVE AND ADDRESS OF THE ADDRE				
WATER LINES (INCLUDING IRRIGATION) MUST B	E 10FT. FROM ANY PART OF SE	PTIC SYSTEM OR R	EPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR D	RAIN FIELD AREA.			
** If applicable: / understand the system type specified	is different from the time energies	d on the annihilation	1 (	<i>.</i> (:
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.				
Owner/Legal Representative Signature: Date:				
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.  SEE ATTACHED SITE SKETCH				
			1 1	
Authorized State Agent:	MI RENS	Date:	6 24 14, G 24 1G	
- "	Construction Authoris	ration Evniration D	to: 6/22/19	

## Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: DOCS RO

ISSUED TO: H + H CONSTRUCTORS IN C SUBDIVISION DAKMONT LOT # 37

Authorized State Agent: Date: C 24 14

