

August 12, 2014

Harnett County Government Complex  
307 W. Cornelius Harnett Boulevard  
Lillington, NC 27546

J. Edward Averette  
2550 Capitol Drive  
Creedmoor, NC 27522

ph: 910-893-7547  
fax: 910-893-9371

**Re: Status of Improvement Permits - Trotter's Ridge**  
**Applications #14-5-34119 - Lt 32 & #14-5-34140 - Lt 32-A**

Dear Mr. Averett,

An attempt was made to evaluate your property for the purpose of issuing an Improvement Permit. The evaluation could not be completed for one or more of the following reasons.

- 1. Use pink flags to mark property lines and irons that are set by surveyor need to be visible *(\$25.00 fee incurred)*
- 2. Use orange flags to mark house corners *(\$25.00 fee incurred)*
- 3. Directions not clear to property *(\$25.00 fee incurred)*
- 4. Lt. 32-A needs only brush or vegetation removed
- 5. Driveway not shown on site plan
- 6. Lt. 32 Requires backhoe pits
- 7. Other

Your application will be put on hold until the selected items above have been addressed. When completed **please call 910-893-7547 to confirm** that the items mentioned have been corrected, we will then reschedule your property for evaluation.

Sincerely,



Bryan McSwain, R.E.H.S.  
Environmental Health OSWW Program Specialist  
Harnett County Department of Public Health

BM/sgs  
Copy: Central Permitting