

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE

- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY


- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for recording profile locations and site features. The grid is approximately 20 columns wide and 25 rows high. It is intended for drawing a cross-section of a site, with the top row serving as a reference line for North and other features.

MAP NO. 2014-167

"KENTUCKY DERBY LN." 60' R/W



MAP REFERENCE: MAP NO. 2014-167

CURVE RADIUS	LENGTH	CHORD	CH.BEARING
C-1	306.38'	232.78'	227.20' N 52°56'53"E

SITE PLAN APPROVAL
 DISTRICT RA-20R USE SFD
 #BEDROOMS 5
7-11-14
 ZONING ADMINISTRATOR

MINIMUM BUILDING SET BACKS
 FRONT YARD — 35'
 REAR YARD — 25'
 SIDE YARD — 10'
 CORNER LOT SIDE YARD — 20'
 MAXIMUM HEIGHT — 35'



SURVEY FOR:	
PROPOSED PLOT PLAN - LOT - 39 TROTTER'S RIDGE S/D, PHASE - 3	
TOWNSHIP BARBECUE	COUNTY HARNETT
STATE: NORTH CAROLINA	DATE: JUNE 25, 2014
ZONE RA-20R	WATERSHED DISTRICT
TAX PARCEL ID#	PN#

BENNETT SURVEYS		F-1304
1662 CLARK RD., LILLINGTON, N.C. 27546 (910) 893-5252		
30' 0 60'	SURVEYED BY:	FIELD BOOK
SCALE: 1" = 60'	DRAWN BY: RVB	DRAWING NO.
CHECKED & CLOSURE BY:		14207