HTE# 14-5-34436

Harnett County Department of Public Health

27999

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Tingen Rd. PROPERTY LOCATION: 1:19en 169.

SUBDIVISION Marketplace Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD 64x60 Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 480 GPD Number of Occupants: __ 8 ___ max Number of bedrooms: Basement TYes Pump Required: Tes No May be required based on final location and elevations of facilities Five years Type of Water Supply:

Community Public Well Distance from well _______feet Permit valid for: ☐ No expiration Permit conditions: Authorized State Agent: Super Main REHS Date: 9/8/2014 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1951, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Trace Homes PROPERTY LOCATION: Tingen Rd.

SUBDIVISION Market place LOT # 92 SUBDIVISION <u>//lo-Ketp</u> _____ New □ Expansion □ Repair Basement? ☐ Yes ☐ No Basement Fixtures? ☐ Yes ☐ No Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 480 GPD (See note below, if applicable \square) Number of trenches _____/ Installation Requirements/Conditions Exact length of each trench 200 feet Trench Spacing: _____9 Feet on Center Septic Tank Size /000 gallons Soil Cover: 12.24 inches Pump Tank Size gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 24-76 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM _____ inches below pipe Aggregate Depth: ______ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. ** If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: ____ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: \(\alpha \)

Construction Authorization Expiration Date: 9/8/2019

HTE#	14-5-39	1436
		,

Permit # <u>27999</u>

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: Tingen Rd.	
ISSUED TO: Trace Homes	SUBDIVISION Marketplace	LOT # タス
Authorized State Agent: Legen Now in REK	Date: 9/8/2014	

