HTE# 15-5-36027 Harnett County Department of Public Health

28381

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION 521415 RAWLS CH ND SUBDIVISION STATSON NEW 🗗 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SAD Proposed Wastewater System Type: 25% (Paramos) Projected Daily Flow: 3 60 GPD 3 Number of Occupants: \checkmark max Number of bedrooms: Basement □Yes May be required based on final location and elevations of facilities Pump Required: □Yes □ No Type of Water Supply:

Community Public

Well Distance from well _______feet Five years Permit valid for: Permit conditions: ☐ No expiration Authorized State Agent:

Date: 5-19-15

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Constart Homes Inc PROPERTY LOCATION: Solution Starts Rawls CHARS

SUBDIVISION STETS ☐ Expansion ☐ Repair Facility Type: Basement Fixtures?

Yes Basement? Yes 259/SREDUCTON SUSTIS (Initial) Wastewater Flow: 360 Type of Wastewater System** (See note below, if applicable \square) Installation Requirements/Conditions Number of trenches Exact length of each trench 80 feet Trench Spacing: 7 Feet on Center Trenches shall be installed on contour at a Soil Cover: inches Septic Tank Size /600 gallons Pump Tank Size _____ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 26-)/8 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent:

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: Sold 1415 Rawls CH2D

ISSUED TO: Confort Hores Trc SUBDIVISION STETSON LOT # 42

Authorized State Agent: Date: 5-15-15

