HTE# 15-5-3699R

Harnett County Department of Public Health

28340

Improvement Permit

A building permit cannot be issued with o	only an Improvement Permit	
O PROPERTY LOCATIO	ON: 121 STARLIGHT De	
ISSUED TO: BUCHIGANON ROOFING SUBDIVISION	NEW HORIZONS	LOT # <u>12</u>
NEW REPAIR C EXPANSION S Type of Structure: 5 50 (45-66)	Site Improvements required prior to Construction Authoriza	tion Issuance:
Type of Structure: <u>580 (45×66)</u>	· · ·	
Proposed Wastewater System Type: 25% REDUCTION 575TEM		
Projected Daily Flow: 360 GPD		
Number of bedrooms: <u>3</u> Number of Occupants: <u>6</u> max		
Basement 🗆 Yes 🔍 No		
Pump Required: 🛛 Yes 🔭 No 👘 May be required based on final location and elevatio	ons of facilities	
Type of Water Supply: Community Y Public Well Distance from well	feet Permit valid for:	Five years
Permit conditions:	-	No expiration
	<u> </u>	
Authorized State Agent:: RGHS Date:	SIS 15 SEE ATTACI	HED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: BUCHANAN ROC	PROPERTY LOCATION: 121	STARLICHT PR
	SUBDIVISION New H	UT20NS LOT # 12
Facility Type: 550 (45766)	🕅 New 🗆 Expansion 🗆 Repair	
Basement? □ Yes ▷ No Basement Type of Wastewater System** _ >5%.	Fixtyres? 🗆 Yes 🛛 No	
Type of Wastewater System**	KEOVERION DYSTEM	(Initial) Wastewater Flow: <u>360</u> GPD
(See note below, if applicable \Box) 25%	REDUCTION STOTEM (Repair)	
Installation Requirements/Conditions	Number of trenches	
Septic Tank Size 1000 gallons	Exact length of each trench 235 feet	Trench Spacing: Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a	Soil Cover: <u>6-72</u> inches
	Maximum Trench Depth of: 18 - 3. 0 inches	(Maximum soil cover shall not exceed
	(Trench bottoms shall be level to $+/-1/4$ "	36" above the trench bottom)
	in all directions)	
Pump Requirements:ft. TDH vs	GPM	inches below pipe
		Aggregate Depth: inches above pipe
Conditions:		inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: / understand the system type specified is different from the type specified on the applicable:	pplication. I accept the specifications of this permit.
Owner/Legal Representative_Signature:	Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization	n shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to	o the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Agent:	Date: $6/15)5$ iration Date: $6/1520$





