HTE# 15-5-37258 Harned County Department of Public dealth

28656

Improvement Permit


A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 51437 Brelina SUBDIVISION BALLOTAL WOODS EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: Proposed Wastewater System Type: 25% (VS) VCTON Projected Daily Flow: Number of bedrooms: __ Number of Occupants: ___ Basement Yes Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply:

Community ✓ Public
☐ Well Distance from well feet Five years Permit valid for: Permit conditions: □ No expiration Authorized State Agent:: Date: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation of the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Cunherland Homes INC PROPERTY LOCATION: 50.1437 Bollone RD SUBDIVISION Bollond Woods ☐ Expansion Basement Fixtures?

Yes (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable

) Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length of each trench 200 feet Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18" may inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. ____ Aggregate Depth: Beside SysTon They is WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date: 12-4-20

Harnett County Department of Public Health Site Sketch



GWENDOLYN WAY