

**SOIL/SITE EVALUATION  
 for ON-SITE WASTEWATER SYSTEM**

Owner:                      Applicant: AARONS  
 Address:                      Date Evaluated: 1/5/15  
 Proposed Facility: JFD      Design Flow (.1949): 360?      Property Size:  
 Location of Site:              Property Recorded:  
 Water Supply:               Public  Individual  Well       Spring       Other  
 Evaluation Method:  Auger Boring       Pit       Cut  
 Type of Wastewater:       Sewage       Industrial Process       Mixed

P R O F I L E #	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	
1	<u>3%</u>	0-5	SL	<u>fine sand</u>					
		5-24	<u>sc clay</u>	<u>fine sand</u>	<u>18"</u>	<u>50 3/1 2/1 1/1</u>			
2	<u>4%</u>	0-40	SL	<u>fine sand</u>					
		40-46	<u>sc</u>	<u>fine sand</u>					<u>.4</u>
3	<u>4%</u>	0-36		<u>fine sand</u>					
		36-48		<u>fine sand</u>	<u>46-48</u>				<u>.4</u>
4, 7	<u>4%</u>	0-40	SL	<u>fine sand</u>					
		40-48	<u>sc</u>	<u>fine sand</u>	<u>46-48</u>				<u>.4</u>

Description	Initial System	Repair System	Other Factors (.1946):
Available Space (.1945)	<u>/</u>	<u>/</u>	Site Classification (.1948):
System Type(s)	<u>250</u>	<u>200</u>	Evaluated By: <u>JIS</u>
Site LTAR	<u>.4</u>	<u>.4</u>	Others Present:


COMMENTS: \_\_\_\_\_

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

STRUCTURE  
 SG-SINGLE GRAIN  
 M- MASSIVE  
 CR-CRUMB  
 GR-GRANULAR  
 SBK-SUBANGULAR BLOCKY  
 ABK-ANGULAR BLOCKY  
 PL-PLATY  
 PR-PRISMATIC

MINERALOGY  
 SLIGHTLY EXPANSIVE  
 EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)



This is to certify that I have consulted the Federal Engineer's Administration Flood Hazard Boundary Maps and found the above project described (if its not located in a special flood hazard area)

Andrew H. Jones  
225 #2463

The Division Of Property is exempt from the Herkult County Subdivision Regulations

Subdivision Administration

Clyde Turlington  
Deed Book 518, Page 59

1179  
1179


Bearing	Distance
24° 36' W	20.91
28° 13' W	40.79
28° 55' W	49.94
47° 26' W	75.13
53° 39' W	50.24
23° 19' W	50.22
20° 57' W	40.06
46° 02' W	50.08
02° 00' W	35.08
14° 01' W	50.04

Billy D. Byrd  
Deed Book 2598, Page 965

Zoning Administrator  
John E. Kline

SITE PLAN APPROVAL  
DISTRICT RT-30 USE SED  
#BEDROOMS 3  
16-28-15

Parcel "A"  
12.96 Acres Total  
-1.04 Ac. in R/W  
11.92 Acres Net



Randall M. Gregory  
Deed Book 2317, Page 35  
Map # 2006-387

James C. Gregory Trust  
DB 2317, PG 31  
Map # 2006-387

James W. B. Carolyn B. Jones  
Deed Book 2309, Page 64  
Map # 2006-419