



COMMENTS: \_\_\_\_\_

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

STRUCTURE

- SG-SINGLE GRAIN
- M- MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for drawing site features and profile locations. The grid is approximately 20 units wide and 30 units high. It is intended for showing profile locations and other site features, including dimensions, references, benchmarks, and North.

Stancil Builders Inc.

Lot #26 Dexterfield  
3-Bedroom Layout  
Revised - January 11, 2016



SITE PLAN APPROVAL

DISTRICT RA-30 USE SFD

#BEDROOMS 3


1-14-16

LB

Zoning Administrator

Date

Brendamoore Court



System: Gravity to serial distribution  
 Lines: 5-8, (230')  
 0.4 LTAR  
 18-24" Trench Bottom  
 Accepted Status System  
 Repair: Pump to serial distribution  
 Lines: 1-4, (230')  
 0.4 LTAR  
 18-24" Trench Bottom  
 Accepted Status System

191 Brendamoore Court  
Fuquay Varina, NC 27526

Lot 26 Dexterfield  
Map # 2006-144  
Deed Book 2044 Page 564  
PIN # 0653-37-7454.000

GRAPHIC SCALE  
1" = 40'



Adams  
Soil Consulting  
919-414-6761  
Job #339