HTE# 16-5-38436

Harnett County Department of Public Health

28845

Improvement Permit

A	building permit cannot be issued wit			
ISSUED TO: To: al DAVS BUILDED	PROPERTY LUCA	ATKENS 1	ATRINS RD	LOT # 8
ISSUED TO: REPAIR DAKS BUT DEAR		Site Improvements rea	quired prior to Construction Author	
Type of Structure:		site improvements rec	fance prior to construction Aution	ization issuance.
Proposed Wastewater System Type: 25% REDU	ITWN			
Projected Daily Flow: 480 GPD				
Number of bedrooms: Number of Occupation	ants: <u>8</u> max			
Basement 🗆 Yes 🗹 No				
	red based on final location and eleva			
Type of Water Supply: 🗆 Community 🗹 Public	□ Well Distance from well	feet	Permit valid for:	Five years
Permit conditions:				No expiration
Authorized State Agent .:: James C W	La hom & Date:	4-28-	SEE ATT	ACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarant				
site is subject to revocation if the site plan, plat, or the intended use ch				
the Laws and Rules for Sewage Treatment and Disposal and to conditions	s of this permit.			
	Construction Au (Required for Build			
The construction and installation requirements of Rules .1950, .1952, .19 with the attached system layout.	and a second	•	into this permit and shall be met. Systems	shall be installed in accordance
ISSUED TO: <u>Royal DAK's Buckders</u> Facility Type: <u>SFD</u> Basement? I Yes I No Basement Fixt	<u>GROUD</u> PROPERTY	LOCATION: STC/4	148 ATLENS RI)
	SUBDIVISI	IN ATKIN	S Viller CT	LOT # 8
Facility Type: SFD	🗹 New 🔲 Expan	ion 🗆 Repair	0	
Basement? 🗆 Yes 🗹 No Basement Fixt	ures? 🗆 Yes 🕞 No			
Type of Wastewater System** _ 25% TIBU	NUCZON Syster		(Initial) Wastewater Flow:	480 GPD
(See note below if applicable)	/			
25% 7	STULTED Number of trenches 3	_(Repair)		
			9	
Septic Tank Size <u>1200</u> gallons	Exact length of each trench	100 feet		Feet on Center
Pump Tank Size gallons	Trenches shall be installed on c	ontour at a	Soil Cover: i	nches
	Maximum Trench Depth of:	30-218 inches	(Maximum soil cover shall r	not exceed
	(Trench bottoms shall be level t		36" above the trench bott	om)
	in all directions)			,
Pump Requirements:ft. TDH vs	,		6	inches below pipe
· · · · · · · · · · · · · · · · · · ·	- Approved		Aggregate Depth:	inches above nine
Conditions:			Aggregate Depth:	2 inches total


WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

Construction Authorization Expiration Date: _

4-29

-21

Permit # 28845 HTE# 16-5-38436 Harnett County Department of Public Health Site Sketch PROPERTY LOCATON SX 1449 ATKINS R.D ISSUED TO: Royal Oaks Building Group SUBDIVISION ATKINS Villinge of LO Authorized State Agent: James & Manhard WI Bate: 4-28-16 ___ LOT # ____&___ Authorized State Agent: ______



ATKINS VILLAGE CT

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section SOIL/SITE EVALUATION				Sheet: Property ID: Lot #: File #: Code:					
	for ON-S		STEWALUAT		C	ode:			
Locatio Water Evalua			Desi Prop	Evaluated: 4-26- gn Flow (.1949): 4 & erty Recorded: individual W Pit Industrial P	Vell Cut	ze:	er		т. Т. 1
P R O F I .1940		SOIL MORPHOLOGY .1941 OTHER PROFILE FACTORS				-			
L E #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1,2	L-4%	0-24	36	AL GANON?					
		24-48	ser	MENUNP Gu 153KS.P.					. y
3	2-4	0-28	SL	READENS			78		
		28-45	EL .	m I EBKSP	46" 7.Syn 30		-		· 1/
					3 				
							E. K		
									į.
					7	2			
							-		
					2				
							- <u></u>		
Descrip	otion	Ir	nitial R	epair System	Other Factors (.1946):				

Description	Initial	Repair System	Other Factors (.1946):
	System /	1	Site Classification (.1948): ><
Available Space (.1945)	1		Evaluated By:
System Type(s)	254	282	Others Present:
Site LTAR	.4	-4	