

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

STRUCTURE

- SG-SINGLE GRAIN
- M- MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for site mapping and profile locations. The grid is approximately 20 columns wide and 25 rows high. It is intended for drawing profile locations and other site features, including dimensions, references, benchmarks, and North indicators.

MAP NO. 2014-189

SITE PLAN APPROVAL


DISTRICT: RAZOR USE SFD

#BEDROOMS: 4 BDR

16 Jun 16
ZONING ADMINISTRATOR

MINIMUM BUILDING SET BACKS
FRONT YARD - 10'
SIDE YARD - 5'
CORNER LOT SIDE YARD - 5'
REAR YARD - 10'

NCSR # 1139 "TINGEN RD."



MAP REFERENCE MAP NO. 2014-189

CURVE	RADIUS	LENGTH	CHORD	CH-BEARING
C-1	175.00	80.71	80.00	S 51°06'14\"W

SURVEY FOR: PROPOSED PLOT PLAN - LOT - 101 "MARKET PLACE S/D", PHASE ONE		BENNETT SURVEYS 1602 CLAY RD. LILLINGTON, N.C. 27548 (919) 883-3252		F-1304
TOWNSHIP: BARBECUE	COUNTY: HARNETT	12.5	25	SURVEYED BY:
STATE: NORTH CAROLINA	DATE: JUNE 07, 2018	SCALE: 1" = 50'	DRAWN BY: RVD	FIELD BOOK:
ZONE: WHTY PG 40 DISTRICT	TAX PARCEL ID: PH 4	CHIEF & CLOSURE BY:		DRAWING NO. 18267