

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M- MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for recording profile locations and site features. The grid is approximately 20 columns wide and 25 rows high. It is intended for drawing or recording site features, dimensions, references, benchmarks, and orientation (North).

SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC., INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

SUBDIVISION: JOHNSON FARMS

LOT 40

INITIAL SYSTEM: APPROVED 25% REDUCTION

REPAIR APPROVED 25% REDUCTION ^{pump to}

DISTRIBUTION: SERIAL

DISTRIBUTION SERIAL

BENCHMARK: 100.0

LOCATION MONUMENT

NO. BEDROOMS: 3

LTAR 0.4 GPD/FT²

LINE	FLAG COLOR	ELEVATION	LENGTH
In. tile system { 6 7 8	D	95.84	95'
	W	95.25	75'
	B	95.00	55'
			<u>225'</u>
1	P	97.50	35'
2	O	97.50	35'
3	W	97.50	35'
4	W	97.08	80'
5	P	96.42	80'
			<u>265' AHEAD</u>

BY M. CAHEN

DATE 06/2016

TYPICAL PROFILE

0-18 gcs (VFC, msc)
18-40+ ssc / F₂/F₁ shcl
c = 2 > 34"
 INSTALLED AT 18"

THERE SHALL BE NO GRADING,
 CUTTING, LOGGING OR OTHER SOIL
 DISTURBANCE IN SEPTIC AREA



NEIGHBORHOOD MAP (NTS)


- LEGEND**
- AC=AIR CONDITIONING UNIT
 - BOC=BACK OF CURB
 - DW=CONC DRIVEWAY
 - EB=ELECTRIC BOX
 - EDP=EDGE OF PAVEMENT
 - P=PATIO
 - PO=PORCH
 - SCO=CLEANOUT
 - SW=SIDEWALK
 - TP=TELEPHONE PEDESTAL
 - WM=WATER METER
 - IRON PIPE FOUND
 - IRON PIPE SET
 - NAIL SET

- SETBACKS**
- FRONT 35'
 - SIDE 10'
 - REAR 25'
 - SIDE STREET 20'


THIS SURVEY IS OF AN EXISTING PARCEL OR PARCELS OF LAND AND DOES NOT CREATE A NEW STREET OR CHANGE AN EXISTING STREET.

SHAWN T. RUMBERGER, PLS L-4908 DATE

THIS MAP IS ONLY INTENDED FOR THE PARTIES AND PURPOSES SHOWN. THIS MAP IS NOT FOR RECORDATION. NO TITLE REPORT PROVIDED.



UNDESIRABLE AREA



CURVE TABLE

CURVE	BEARING	CHORD	RADIUS	ARC
CI	S 45°35'16\"	33.48'	25.00'	36.69'

PRELIMINARY PLOT PLAN

PLAN NUMBER: PG 2006, PG 2007

REVISION: MOVED FIGURE TO SIT 35' FROM SADDLE AND DW CHANGED TO COME OUT ON SADDLE PER REQUEST 06-15-16

ECLS

PROJECT: 14-004
 DRAWN BY: AMW
 SCALE: 1"=40'
 DATE: 06/14/16

FOR
GARY ROBINSON HOMES
 SADDLE LANE
 LOT 40 JOHNSON FARMS SUBDIVISION
 NEILL'S CREEK TWP., HARNETT CO., NC
 P.B. 2006, PG. 986

ECLS

SURVEYING THE EAST COAST

227 FISH DRIVE
 ANDER, NC 27801
 910.897.3257
 910.897.2329 (FAX)
 ECLSINC.COM