HTE#16-5-35310

Harnett County Department of Public Health

29092

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Hwy 55 SUBDIVISION POTNHERS CLOCK EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: Proposed Wastewater System Type: 2520 Necl Projected Daily Flow: Number of Occupants: 8 Number of bedrooms: Basement Yes Pump Required: Yes ☐ May be required based on final location and elevations of facilities Type of Water Supply:
Community Public Well Distance from well 100 C Five years Permit valid for: Permit conditions: ☐ No expiration Authorized State Agent:: Date: SEE ATTACHED SITE SKETCH The issuance of this permit be the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: JONALD DAWES PROPERTY LOCATION: Hung 55
SUBDIVISION Potateus Cacal LOT # 6 ☐ New ☐ Expansion No_ Basement Fixtures? Yes No Oupto 2520 Ned System (Initial) Wastewater Flow: 420 GPD Type of Wastewater System** (See note below, if applicable

) Installation Requirements/Conditions Septic Tank Size 1200 Pump Tank Size / 200 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 24-318 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Construction Authorization Expiration Date: 11-9-21

Harnett County Department of Public Health Site Sketch

ISSUED TO: RONALD DAWCS PROPERTY LOCATON: Hung 55 SUBDIVISION Porters Crock LOT # 6
ISSUED TO: RONALD DAWCS SUBDIVISION POTULERS CAOOK LOT # 6
Authorized State Agent Janes & Manhand Was Date: 11-9-16
V Strait William
IT I POOKUSA NEW
1 Pooker New Ses
SDE15 \
Wind Lon Wet
1) With ben
100 P AWA
127/000 100 E)
Prott //
Possitions Creek Dr. 2 pro- 170 than 655

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #:

File #:

Code:

NA ...

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: SHC Holdings, Address: Pointers Creek Dr. Date Evaluated: 11/03/16		
Proposed Facility: House Design Flow (.1949): 480 90 644	Property Size: 10	
Location of Site: Pointers Creek Property Recorded: PE)		_
Water Supply: ☐ Public☐ Individual ☑ Well Evaluation Method ☑ Auger, Boring ☐ Pit ☐ Cut	☐ Spring ☐	Other
Type of Wastewater: Sewage Industrial Process	☐ Mixed	

P R O F I L	.1940		SOIL MORPHOLOGY		OTHER PROFILE FACTORS				
E #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
ı	36	0-24	600/56	Fr. SISP SEXP.	-			wegydebs	PS
		24-32	SAB/SCC	F1. 55# 569	7.54R3/. @321	4	-	-	.36
				920	1				125
Z	4%	0-12	60./36	F1 5598 5 E49	-		-	-	PS
		17-34	318/61	F: 554 564	7.51R3/1 @ 341	-		_	.30
. 3	Lines 3%	0-18	Gen / 54	Fr. 558 569	_		-	_	P5
		18-3	SAB/SCL	F. SSSP SEXP	7.5m3/1@361	-	-	-	.35
							8:		
								10	
							×		
=									

Description	Initial System	Repair System	
Available Space (.1945)		V	
System Type(s)	25% Red.	25% Red.	
Site LTAR	0.3	0.3	

Other Factors (.1946): Nexe Site Classification (.1948): Provisionally suitable Evaluated By: Andrew Currin, T. Manhart, REHS Others Present: