HTE# 16-5-39683

Harnett County Department of Public Health

29023

Improvement Permit

A building permit cannot be issued with only an Improvement Permit	
PROPERTY LOCATION: DAW GRASS CO	
ISSUED TO: ORSITE HOMES LLC SUBDIVISION WALTUR GROVE LOT#	76
NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SED (26 X Y Y) Proposed Wastewater System Type: Pump To 257. Resulting System Type: Pump To	
Proposed Wastewater System Type: Pump To 25%. REDUCTION SYSTEM	
Projected Daily Flow: 480 GPD	
Number of bedrooms: H Number of Occupants: 8 max	0.00
Basement DYes No	
Pump Required Yes No May be required based on final location and elevations of facilities	
Type of Water Supply: Community Public Well Distance from well 100 feet Permit valid for: Five years No expirations:	ion
1/0/12 2/20	
Authorized State Agent: Date: 9 10116 SEE ATTACHED SITE SKETCH	
The issuance of this permit by the Health Department in no way guarantees the testuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirem site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the properties and Rules for Sewage Treatment and Disposal and to conditions of this permit.	ents. This ivisions of
Construction Authorization	
(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in ac with the attached system layout.	cordance
ISSUED TO: ONSITE HOMES LLC PROPERTY LOCATION: SAW GRASS C	
SUBDIVISION WALNUT GROVE LOT # 3	عد
	<u> </u>
Basement? Yes No Basement Fixtures? Yes No	
Type of Wastewater System** Pume To 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 480	GPD
(See note below, if applicable)	
Pume 102520 RED. 5>5 (Repair)	
Installation Requirements/Conditions Number of trenches	
Septic Tank Size 1000 gallons Exact length of each trench 300 feet Trench Spacing: 9 Feet on Center	
Pump Tank Size gallons	
Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not exceed	
AND THE PARTY OF T	
(Trench bottoms shall be level to $\pm 1/4$ " 36" above the trench bottom)	
in all directions)	
Pump Requirements:ft. TDH vs GPM inches below	ow pipe
Aggregate Depth: inches ab	ove pipe
Conditions: ADDITIONAL CLEARING WILL BE REQUIRED inch	
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	
NO UTILITIES ALLOWED IN INITIAL OK KETAIK DRAIN FIELD AKEA.	
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.	
Owner/Legal Representative_Signature: Date:	_
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. The	
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	KETCH
Authorized State Agent: Date: 9/19/14	
Construction Authorization Expiration Date: 4192	

Harnett County Department of Public Health Site Sketch

