HTE# 16-5-39825 R Harn County Department of Public alth 20047
27047
Improvement Permit
A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Docs RD
ISSUED TO: H+HCONSTRUCTORS SUBDIVISION OAKMONT LOT # 17
lype of Structure:
Proposed Wastewater System Type: 25% REDUCTION SYSTEM
Projected Daily Flow:GPD
Number of bedrooms: <u> </u>
Time of Wester County D.C.
Parmit conditions:
No expiration
Authorized State Agent:: Date: 10 2116 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. The site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of this permit.
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.
1 1 1 10 May READ
Construction Authorization
(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.
ISSUED TO: H+H CONSTRUCTORS PROPERTY LOCATION: DOG RO
SUBDIVISION ORKMONT LOT # 176
Facility Type: SFOLDERSS) 36,462 X New DEDIVISION ORKMONT LOT # 176
Basement? 🗆 Yes 🛛 🔀 No 🛛 Basement Fixtures? 🖂 Yes 🗍 🗙 No
Type of Wastewater System** REDUCTION SYSTEM (Initial) Wastewater Flow: _480 GPD
(See note below, if applicable )
Installation Requirements/Conditions Number of trenches
Septic Tank Size 1000 gallons Exact length of each trench 300 feet Trench Spacing: 9 Feet on Center
Pump Tank Size gallons Trenches shall be installed on contour at a Soil Cover: inches
Maximum Trench Depth of: inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to $+/-1/4$ " 36" above the trench bottom)
in all directions)
Pump Requirements:ft. TDH vs GPM
Aggregate Depth: inches above pip
Conditions: <u>JEEMIT BASED</u> ON Proposal From A LSS Aggregate Depth: inches below pip inches above pip inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: Date:
Owner/Legal Representative Signature: Date:
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Agent: Date: 10 2016
Authorized State Agent: Date: 10 2016 RETISED 11 1920 Construction Authorization Expiration Date: 10 21 21

