

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: BONO LN (N027)

ISSUED TO: RONALD BOND SUBDIVISION: LOT #

NEW [X] REPAIR [ ] EXPANSION [ ] Site Improvements required prior to Construction Authorization Issuance:

Type of Structure: SFD (30x40)

Proposed Wastewater System Type: 25% REDUCTION SYSTEM - PUMP

Projected Daily Flow: 240 360 GPD

Number of bedrooms: 2/3 Number of Occupants: 4/6 max

Basement [X] Yes [ ] No Pump Required: [ ] Yes [ ] No [X] May be required based on final location and elevations of facilities

Type of Water Supply: [ ] Community [ ] Public [X] Well Distance from well 100 feet Permit valid for: [X] Five years [ ] No expiration

Permit conditions:

Authorized State Agent: [Signature] REGS Date: 11/18/16 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

[Signature] REGS REGISG 5/15/17

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: RONALD BOND PROPERTY LOCATION: BONO LN (N027)

FACILITY TYPE: SFD (30x40) SUBDIVISION: LOT #

Basement? [ ] Yes [X] No Basement Fixtures? [ ] Yes [X] No

Type of Wastewater System\*\* 25% REDUCTION SYSTEM PUMP (Initial) Wastewater Flow: 240 GPD

(See note below, if applicable [ ]) PUMP TO 25% RED. (Repair) 180 or

Installation Requirements/Conditions: Septic Tank Size 2000 gallons, Pump Tank Size 1000 gallons, Number of trenches 1, Exact length of each trench 100 feet, Trench Spacing: 9 Feet on Center, Soil Cover: 18.6 inches

Pump Requirements: ft. TDH vs. GPM, Aggregate Depth: inches below pipe, inches above pipe, inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: Date:

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] REGS Date: 11/18/16 Construction Authorization Expiration Date: 11/18/21

HTE# 16-5-40062R

Permit # 29117

# Harnett County Department of Public Health Site Sketch

ISSUED TO: Ronald Bond PROPERTY LOCATOR: BOND LN (NC27)  
SUBDIVISION \_\_\_\_\_ LOT # \_\_\_\_\_

Authorized State Agent: ~~RENS (OLIVER TOLKPOFF)~~ Date: 11/18/16  
~~RENS~~ 5/15/17

