Initial Application Date: 121916	Application # 40347
COUNTY OF HARNETT RESIDENTIA Central Permitting 108 E. Front Street, Lillington, NC 27546 Phone: (91	CU#
**A RECORDED SURVEY MAP, RECORDED DEED (OR OFFER TO PURCHASE) & SIT	E PLAN ARE REQUIRED WHEN SURMITTING A LAND LISE ADDITIONS
LANDOWNER: Welled Contractors Inc Mailing Ad	Horses PO Box 7106
City: pung Lake State! C 202839 Contact Not	10-436.313/Emaki)ason Ruswellons rea
APPLICANT : Welled Contractor Inc Mailing Address: PO	
aity Malake N State: NC zin 2839 Contact St. 16	0436.3131 Email: OSONE WSWEllon Steak
*Please fill out applicant information if different than landowner	- Lilland Charles Charles
CONTACT NAME APPLYING IN OFFICE JASON WELLONS	Phone # 910 - 436 - 3131
PROPERTY LOCATION: Subdivision: Hidden Lakes	5 Lot Size: 1.09
State Road # 1/1/7 State Road Name: Nursery Ro	Map Book & Page: 20, 86
Parcel: 010506 0068 13 PIN: 05	506-41-5350.000
Zoning <u>RA - 2016</u> Flood Zone: <u>N/A</u> Watershed: <u>N/A</u> Deed Book & Page	
*New structures with Progress Energy as service provider need to supply premise nur	nber from Progress Energy.
PROPOSED USE:	
SFD: (Size 39'x 35' # Bedrooms: 4 # Baths: 3/2 asement(w/wo bath):_	Monolithic
(Is the bonus room finished? () yes () no w/ a clo	Garage: X Deck: Crawl Space: X Slab:
Mod: (Sizex) # Bedrooms # Baths Basement (w/wo bath) (Is the second floor finished? () yes () no Any o	ther site built additions? () yes () no
☐ Manufactured Home:SWDWTW (Sizex) # Bedroon	ıs: Garage:(site built?) Deck:(site built?)
□ Duplex: (Sizex) No. Buildings: No. Bedrooms Per	Unit:
Home Occupation: # Rooms: Use: Hou	rs of Operation:#Employees:
Addition/Accessory/Other: (Sizex) Use:	Closets in addition? () yes () no
Nater Supply: X County Existing Well Mew Well (# of dwellings u	ising well) *Must have operable water before final
Sewage Supply: X New Septic Tank (Complete Checklist) Existing Septic	
Does owner of this tract of land, own land that contains a manufactured home within fiv	
Does the property contain any easements whether underground or overhead () yes	(X) no
Structures (existing or proposed): Single family dwellings: 1000 Sed Manufact	ured Homes:Other (specify):
Required Residential Property Line Setbacks: Comments:	
Front Minimum 35' Actual 40'	
Rear <u>25'</u> 156.50'	
Closest Side <u>/0 '</u> <u>67 . 69 '</u>	
Sidestreet/corner lot 35'	
Nearest Building NA NA	
on same lot Page 1 of 2	03/11

SPECIFIC DIRECTIONS TO THE PROPERTY FROM LILLINGTON:	Del attached
riereby state that foregoing statements are accurate and correct to the best of n	of North Carolina regulating such work and the specifications of plans submitted by knowledge. Permit subject to revocation if false information is provided. $12-5-16$
Signature of Owner or Owner's Agent	Date

^{***}It is the owner/applicants responsibility to provide the county with any applicable information about the subject property, including but not limited to: boundary information, house location, underground or overhead easements, etc. The county or its employees are not responsible for any incorrect or missing information that is contained within these applications.***

^{**}This application expires 6 months from the initial date if permits have not been issued**

YOUR TRIP	TO
[2 - 559] Cypress Dr	


20 MIN | 13.6 MI 🛱

Trip time based on traffic conditions as of 9:52 AM on December 5, 2016. Current Traffic: Light

	of or other traine, Light	
@	Start out going east on E Front St toward S 2nd St.	
	Then 0.02 miles	0.02 total miles
	2. Take the 1st right onto S 2nd St.	
ľ	If you reach S 3rd St you've gone a little too far.	
	you readil to the tity you we gone a nitile too far.	
	Then 0.08 miles	0.10 total miles
L)	3. Take the 1st right onto E Ivey St.	
'	If you reach E James St you've gone a little too far.	
	Then 0.15 miles	-0.25 total miles
41	4. Take the 2nd left onto S Main St/US-401 S/NC-210/NC-27. S Main St is just past S 1st St.	
	If you are an Million Of and you are	
	if you are on W ivey St and reach S 8th St you've gone a little too far.	
	Then 0.36 miles	0.60 total miles
↦	5. Turn right onto W Old Rd/NC-27.	
'	W Old Rd is just past W McNeill St.	
	If you reach E Northington St you've gone a little too far.	
	··Then 0.55 miles ·	1.16 total miles
ĸ	6. Turn slight left onto NC 27 W/NC-27.	
•	NC 27 W is just past S 14th St.	
	If you reach Warner Dr you've gone about 0.2 miles too far.	
	Then 8.39 miles	9.55 total miles
4	7. Turn left onto Nursery Rd.	
•	Nursery Rd is 0.4 miles past Leaflet Church Rd.	
	If you reach Patsy Lemons Ln you've gone about 0.2 miles too far.	
	Then 3.86 miles	13.41 total miles
r >	8. Turn right onto Cypress Dr.	
1.	Cypress Dr is just past Micahs Way W.	
	If you reach Butternut Dr you've gone about 0.1 miles too far.	
	Then 0.14 miles	13.55 total miles
⊗_	9. [2 - 559] Cypress Dr. [2 - 559] CYPRESS DR.	
5	Your destination is just past Palmetto Dr.	

Use of directions and maps is subject to our <u>Terms of Use</u>. We don't guarantee accuracy, route conditions or usability. You assume all risk of use.

If you reach the end of Cypress Dr you've gone about 0.1 miles too far.





Cok

NAME: Welles Contractors; Inc.	
--------------------------------	--

APPLICATION #:

This application to be filled out when applying for a septic system inspection.

County Health Department Application for Improvement Permit and/or Authorization to Construct

IF THE INFORMATION IN THIS APPLICATION IS FALSIFIED, CHANGED, OR THE SITE IS ALTERED, THEN THE IMPROVEMENT

PERMIT OR AUTHORIZATION TO CONSTRUCT SHALL BECOME INVALID. The permit is valid for either 60 months or without expiration

depending upon documentation submitted. (Complete site plan = 60 months; Complete plat = without expiration)

910-893-7525 option 1

CONFIRMATION #

Environmental Health New Septic SystemCode 800

- All property irons must be made visible. Place "pink property flags" on each corner iron of lot. All property lines must be clearly flagged approximately every 50 feet between corners.
- Place "orange house corner flags" at each corner of the proposed structure. Also flag driveways, garages, decks, out buildings, swimming pools, etc. Place flags per site plan developed at/for Central Permitting.
- Place orange Environmental Health card in location that is easily viewed from road to assist in locating property.
- If property is thickly wooded, Environmental Health requires that you clean out the <u>undergrowth</u> to allow the soil evaluation to be performed. Inspectors should be able to walk freely around site. *Do not grade property*.
- All lots to be addressed within 10 business days after confirmation. \$25.00 return trip fee may be incurred for failure to uncover outlet lid, mark house corners and property lines, etc. once lot confirmed ready.
- After preparing proposed site call the voice permitting system at 910-893-7525 option 1 to schedule and use code 800 (after selecting notification permit if multiple permits exist) for Environmental Health inspection. <u>Please note</u> confirmation number given at end of recording for proof of request.
- Use Click2Gov or IVR to verify results. Once approved, proceed to Central Permitting for permits.

Environmental Health Existing Tank Inspections Code 800

- Follow above instructions for placing flags and card on property.
- Prepare for inspection by removing soil over outlet end of tank as diagram indicates, and lift lid straight up (if possible) and then put lid back in place. (Unless inspection is for a septic tank in a mobile home park)
- DO NOT LEAVE LIDS OFF OF SEPTIC TANK
- After uncovering outlet end call the voice permitting system at 910-893-7525 option 1 & select notification permit
 if multiple permits, then use code 800 for Environmental Health inspection. Please note confirmation number
 given at end of recording for proof of request.
- Use Click2Gov or IVR to hear results. Once approved, proceed to Central Permitting for remaining permits.

SEPTIC				• • • • • • • • • • • • • • • • • • •
If applying	for authorizat	ion to construct please ind	licate desired system type(s):	can be ranked in order of preference, must choose one.
{} Acce		{}} Innovative	{ ✗ } Conventional	{}} Any
{}} Alte	rnative	{} Other		
The applica question. I	ant shall notif f the answer i	y the local health departn s "yes", applicant MUST	nent upon submittal of this a	pplication if any of the following apply to the property in GOCUMENTATION:
{_}}YES	{ ∑ } №	Does the site contain a	ny Jurisdictional Wetlands?	
{}}YES	{ ≿ } №	Do you plan to have as	n <u>irrigation system</u> now or ir	the future?
{}}YES	(X) NO	Does or will the buildi	ng contain any <u>drains</u> ? Pleas	e explain
{}}YES	{ ╳ } №	Are there any existing	wells, springs, waterlines or	Wastewater Systems on this property?
{}}YES	ON (X ,)			other than domestic sewage?
{}}YES	{ X } №	Is the site subject to ap	proval by any other Public	Agency?
{}}YES	⟨X } NO	Are there any Easemer	nts or Right of Ways on this	property?
(_}YES	{ X } №	Does the site contain a	ny existing water, cable, pho	one or underground electric lines?
				te the lines. This is a free service.
I Have Read	This Applica			n Is True, Complete And Correct. Authorized County And


State Officials Are Granted Right Of Entry To Conduct Necessary Inspections To Determine Compliance With Applicable Laws And Rules.

I Understand That I Am Solely Responsible For The Proper Identification And Labeling Of All Property Lines And Corners And Making

The Site Accessible So That A Complete Site Evaluation Can Be Performed.


PROPERTY OWNERS OR OWNERS LEGAL REPRESENTATIVE SIGNATURE (REQUIRED)

DATE



NOTE : CONTRACTOR TO VERIFY ALL BUILDING SETBACKS PRIOR TO CONSTRUCTION.

		CUI	RVE TABLE	
CURVE	LENGTH	RADIUS	CHORD DIRECTION	DIST
C1	32.02	18.43	S57°46'21"W	28.14
CS	132.89	152.28	N47°27'18"W	128.71
C3	65.49	165.54	N39°13'00"W	63.60
C4	62.42	745.03	S10°24'01"W	62.40



PLOT PLAN

PLOT PLAN FOR: WELLONS REALTY

ADDRESS: PALMETTO DRIVE

CITY OF: SPRING LAKE, NC

COUNTY OF: HARNETT



I. W. LARRY KING, CERTIFY THAT THIS MAP IS FOR THE PURPOSE OF PERMITTING ONLY, IT IS NOT A SURVEY AND NO RELILIANCE MAY BE PLACED ON ITS ACCURACY. THE STRUCTURE SHOWN ON THIS PLOT PLAN IS PLACED ACCORDING TO THE INSTRUCTIONS GIVEN BY THE BULLDER. ALL DIMENSIONS AND SETBACKS SHOULD BE VERFIELD FOR COMPLIANCE WITH ZONING AND COVENANTS.



W. LARRY KING, PLS - L-1339

Larry King & Associates, R.L.S., P.A.

P.O. Box 53787 1333 Morganton Road, Suite 201 Fayetteville, NC 28305 Phone: (910)483-4300 Fax: (910)483-4052 www.LKandA.com

NC Firm License C-0887

TOWNSHIP OF: ANDERSON CREEK DATE: NOVEMBER 28TH, 2016

DATE: DECEMBER 2ND, 2016

SCALE: 1" = 40'

REFERENCE: LOT 85
ROLLING SPRINGS

SECTION SIX M.B. 137, SL. 86

THIS MAP CAN NOT BE USED FOR RECORDATION OR ATTACRED TO A DEED TO BE RECORDED.
THIS MAP IS NOT DRAWN IN ACCORDANCE WITH GS 47-30.

THE BOUNDARY AND LOT INFORMATION SHOWN ON THIS MAP IS TAKEN FROM THAT DOCUMENT DESCRIBED IN THE REFERENCE LINE SHOWN HERRON. THIS INFORMATION SHOULD BE CONFIRMED AS THE MOST CURRENT FOR THIS PROPERTY BEFORE ISSUANCE OF PERMITS OR COMMENCE—MENT OF CONSTBUCTION NO TITLE SEARCH WAS PERFORMED ON THIS PROPERTY BY THIS SURVEYOR.

Southeastern Soil & Environmental Associates, Inc.

F.U. Box 9321
Fayetleville, NC 28311
Phone/Fax (910) 822-4540
Email mike@southeasternsoil.com

June 14, 2016

Mr. Jason Wellons Wellco Contractors, Inc. PO Box 766 Spring Lake, N.C. 28390

Re: Preliminary soil evaluations and septic recommendations, 15 existing lots, Hidden Lakes Subdivision, Harnett County, North Carolina

Dear Mr. Wellons,

A preliminary soils investigation has been completed for each of the above referenced lots at your request. The properties are located in Hidden Lakes Subdivision as shown on the accompanying maps. The purpose of the investigation was to determine the ability of the soil to support any subsurface waste disposal system for each proposed lot. Lots will be served by public water. All ratings and determinations were made in accordance with "Laws and Rules for Sanitary Sewage Collection, Treatment, and Disposal, 15A NCAC 18A .1900".

Each lots 26, 29, 64, 85, 86 & 93 appears to contain at least one area that meets minimum criteria for subsurface waste disposal systems for at least a typical (50' x 60') 4 bedroom home (may include the use of conventional drainlines, gravelless drainlines, fill, pumps, large diameter pipe, French drains, etc.). Soil characteristics in the usable areas were dominantly provisionally suitable to at least 30 inches (conventional) including those specified in rules. 1940, .1941, .1942, .1943, .1944 and .1945. A soil map indicating typical soil areas that meet these criteria is enclosed. Each of the lots appears to contain sufficient available space for a repair area for at least a typical 4 bedroom home (may include the use of any of the systems mentioned above and/or pumps, pretreatment, drip irrigation, etc.) These soil areas are dominated by loamy sand, sandy loam and/or sandy clay loam textures (in upper 30 inches) and would typically allow for long term acceptance rates in the 0.4 to 0.8 gpd/sq. ft. (conventional/innovative).

Each of lots 69 and 89 appears to contain at least one area that meets minimum criteria for subsurface waste disposal systems for at least a typical (50' x 60') 3 bedroom home (may include the use of conventional drainlines, gravelless drainlines, pumps, fill, large diameter pipe, French drains, etc.). Soil characteristics in the usable areas were dominantly provisionally suitable to at least 24 inches (conventional) including those specified in rules. 1940, .1941, .1942, .1943, .1944 and .1945.

These soil areas are dominated by loamy sand, sandy loam and/or sandy clay loam textures (in upper 30 inches) and would typically allow for long term acceptance rates in the 0.3 to 0.6 gpd/sq. ft. (conventional/innovative).

Each of lots 27 & 28 are unsuitable as currently proposed. These lots might be recovered by a redesign with an adjoining lot (either through recombination or off site easement). A proposed septic/lot design will need to be completed to determine the specifics of the recombination or off site septic. Soil characteristics in the usable areas were dominantly provisionally suitable to at least 30 inches (conventional) including those specified in rules.1940, .1941, .1942, .1943, .1944 and .1945. A soil map indicating typical soil areas that meet these criteria is enclosed. These soil areas are dominated by loamy sand, sandy loam and/or sandy clay loam textures (in upper 36 inches) and would typically allow for long term acceptance rates in the 0.3 to 0.6 gpd/sq. ft. (conventional/innovative).

Each of lots 23 & 25 are unsuitable as currently proposed. These lots should be combined into one lot for one home site. A proposed septic design will need to be completed to determine the specifics of the recombination and house site. Soil characteristics in the usable areas were dominantly provisionally suitable to at least 30 inches (conventional) including those specified in rules.1940, .1941, .1942, .1943, .1944 and .1945. A soil map indicating typical soil areas that meet these criteria is enclosed. These soil areas are dominated by loamy sand, sandy loam and/or sandy clay loam textures (in upper 36 inches) and would typically allow for long term acceptance rates in the 0.3 to 0.6 gpd/sq. ft. (conventional/innovative).

Each lots 66, 83 & 84 are unsuitable for subsurface waste disposal systems due to shallow depths to soil wetness (colors of chroma 2 or less) and/or shallow depths to unsuitable soil morphology. Many of these areas contain wetlands that are unsuitable for development.

Any or all lots may require a specific design/layout on our part prior to action by the local health department due to space and soil considerations (at separate cost to client). Alternative systems (mentioned above) could be required on any lot to compensate for shallow unsuitable soil conditions. Specific house locations, house sizes, driveway locations and/or side entry garages may be required on any individual lot. There should be no grading, logging or other site disturbance in soil areas designated as usable for subsurface waste disposal until approved by the local health department (any site disturbance could remove soil and render the area unusable).

These soil areas are dominated by loamy sand, sandy loam and/or sandy clay loam textures (in upper 30 inches) and would typically allow for long term acceptance rates in the 0.3 to 0.6 gpd/sq. ft. (conventional/innovative).

Each of lots 27 & 28 are unsuitable as currently proposed. These lots might be recovered by a redesign with an adjoining lot (either through recombination or off site easement). A proposed septic/lot design will need to be completed to determine the specifics of the recombination or off site septic. Soil characteristics in the usable areas were dominantly provisionally suitable to at least 30 inches (conventional) including those specified in rules.1940, .1941, .1942, .1943, .1944 and .1945. A soil map indicating typical soil areas that meet these criteria is enclosed. These soil areas are dominated by loamy sand, sandy loam and/or sandy clay loam textures (in upper 36 inches) and would typically allow for long term acceptance rates in the 0.3 to 0.6 gpd/sq. ft. (conventional/innovative).

Each of lots 23 & 25 are unsuitable as currently proposed. These lots could be recovered by combining them. A proposed septic design will need to be completed to determine the specifics of the recombination and house site. Soil characteristics in the usable areas were dominantly provisionally suitable to at least 30 inches (conventional) including those specified in rules.1940, .1941, .1942, .1943, .1944 and .1945. A soil map indicating typical soil areas that meet these criteria is enclosed. These soil areas are dominated by loamy sand, sandy loam and/or sandy clay loam textures (in upper 36 inches) and would typically allow for long term acceptance rates in the 0.3 to 0.6 gpd/sq. ft. (conventional/innovative).

Each lots 66, 83 & 84 are unsuitable for subsurface waste disposal systems due to shallow depths to soil wetness (colors of chroma 2 or less) and/or shallow depths to unsuitable soil morphology. Many of these areas contain wetlands that are unsuitable for development.

Any or all lots may require a specific design/layout on our part prior to action by the local health department due to space and soil considerations (at separate cost to client). Alternative systems (mentioned above) could be required on any lot to compensate for shallow unsuitable soil conditions. Specific house locations, house sizes, driveway locations and/or side entry garages may be required on any individual lot. There should be no grading, logging or other site disturbance in soil areas designated as usable for subsurface waste disposal until approved by the local health department (any site disturbance could remove soil and render the area unusable).

Recommendations contained in this report assume that no foundation drains will be proposed. If any particular lot requires a foundation drain, septic systems other that those specified in the above report may be required (such as pretreatment).


When evaluated, the soil areas designated as usable for subsurface waste disposal were dry. During wetter time periods, subsurface water could be found in any of these soil areas. The local health department has the authority to deny a permit to any soil where water saturates a soil boring. SSEA cannot be certain that this will not occur on any of these lots. If this occurs (and cannot be remedied with a french drain or other drainage), any of these lots could become unsuitable due to .1942 (soil wetness).


As with any property, this report does not guarantee, represent or imply approval or issuance of improvement permit as needed by the client from the local health department (as such, any potential buyers of these properties should obtain appropriate permits from the local health department prior to making and/or completing purchase obligations or financial commitments. Since professional opinions sometimes differ, an actual improvement permit issuance by the local health department is the only guarantee of a site's suitability for a buyers intended use.). This report only addresses rules in force at the time of evaluation. Permits will only be granted if the local health department concurs with the findings of this report. This report only represents my professional opinion as a licensed soil scientist. I trust this is the information you require at this time. If you have any questions, please call.


Sincerely,

Mike Eaker

NC Licensed Soil Scientist







Harnett County GIS

	A second	The lattice and the state of th
WARRANTY DEED-Form WD-601	Disability of Constitution with	N. A. Co. J. V. W. H. H. A. C.
SFATE OF NORTH CAROLINA, Harn		lliams & Co., Inc., Yadkinville, N. C.
THIS DEED, Made this 2nd day of December	tt County	•
	LCO CONTRACTORS, INC., a North C	arolina corporation
with its principal office in xx Cu	berland County and	d State of North Carolina, hereinafter
called Grantee, whose permanent mailing address is	One Hundred	
WITHESPETH: The the Grantot, for and in consideration of the and other good and valuable considerations to him in hand paid by and conveyed, and by these presents floes give, grant, bargain, sell	the Grantee, the receipt whereof is hereby acknowledge	ed, has given, granted, bargained, sold
Anderson Creek Township,	Harnett County, North Carolina, d	
of Section VI, Rolling Sprin pared by Rose and Purcell, I Harnett County Registry, to	7, 19A, 20, 20A, 21, 21A, 23, 25, 24, 65, 66, 67, 68, 68A, 69, 70, 33, 84, 85, 86, 87, 88, 89, 90, 90, 91, 92, 93, 94, 95, 96, 97, 98, 98, 98, 98, 98, 98, 98, 98, 98, 98	1, 92 and <u>93</u> thereof pre- Page 86,
and complete description of Said lands are conveyed subj Book 629, at Page 244, Harne	ect to the restrictive covenants	recorded in
Real Excise Part NA Part 352	Tax = FI	ED PAGE <u>247</u>
The second of th	0EC 12 8	32 AH '75
OFFICE OF HARNETT COUNTY TAX SUPERVISOR	FLORA: REGISTER HARNETT C	HILTON OF DEEDS OUNTY, N.C.
TAX SUPERVISOR. BY Shown ackn		
638	1247	
The above land was conveyed to Grantor by		e Book No Page
TO HAVE AND TO HOLD The above described premises, with heirs and/or successors and assigns forever. And the Grantor covenants that he is seized of said premises cumbrances (with the exceptions above stated, if any); and that whomsoever. When reference is made to the Grantor or Grantee, the singular IN WITHESS WHEREOF The Grants has hereunto set his head of the control of the c	n fee, and has the right to convey the same in fee simple will want a pt and defend the said title to the same a shall include the phiral and the masculine shall include the day and year first show written. (SEAL)	le; that said premises are free from en- gainst the lawful claims of all persons
STATE OF HORTH CAROLINA CUMBERLAND I, UMAGE A. GECKSON	COUNTY. , a Notary Public of said County, do here	
William S. Wellons and Grantor, personally appeared before me this day and acknowledge	the execution of the foregoing deed.	Nerice State
Witness my hand and notarial seal, this the 12th My Commission Expires: 6-29-80	day of J. December J. C.C.	23.74: 1975
	COLDENIA	, N. P. [SEAL]
STATE OF NORTH CAROLINA	, a Notary Public of said County, do here	by certify that
Grantor, personally appeared before me this day and acknowledge		

Witness my hand and notarial scal, this the

* Each section below to be filled out by whomever performing work. Must be owner or licensed contractor. Address, company name & phone must match

Application # Harnett County Central Permitting PO Box 65 Lillington, NC 27546 10-893-7525 Fax 910-893-2793 www.harnett.org/permits
--

Application for Residential Building and Trades Permit

1 A Landa A Landa Danding a	ng Trades Permit
Owner's Name: Weuco Contractors Inc	
Site Address: Lot # 85 Palmetto 10	
Directions to job site from Lillington:	Phone: 910 - 436-3131
- Se at	toched.
	,
Subdivision: Hidden Lakes	
Description of Proposed Marks SEA	Lot: <u>85</u>
Heated SF: 2523 Unheated SF: 562 Finished B	# of Bedrooms; 4
Heated SF: 2523 Unheated SF: 562 Finished Bonus Room' General Contractor Information	? VeS Crawl Space: X Slab:
	OID - 43 12 212 1
Building Contractor's Company Name	910 - 436 · 313 / Telephone
Address Addres	JOSON BUSINELLOW- COULT . AD -
11.661 1.00	- Tables
Signature of Owner/Contractor/Officer(s) of Corporation	7402
b	License#
Sandy Ridge Glectic Service Siz	tion e: 200 Amps T-Pole: X YesNo
Lieutiud Longactore Company N	(7(0) 823-2459
139 Whitehead Kol. Fay Nr 28212	l elephone
$C \cdot OOO$	Keith@ Sandyridge electric. com Email Address
Signature of Owner/Contractor/Officer(s) of Corporation	MC 10006 U
Mechanical/HVAC Contractor Info	License #
Description of Work	<u>rmation</u>
Lotal Systems Heatras & Cooling Las	
Mechanical Contractor's Company Name	S10-436-3450 Telephone Service & Holdsustems Al. 20mm Email Address
Address Huy 2105 Spring LAKE W	Carried At 1
To Lull	Email Address
Signature of Owner/Confractor/Officer(s) of Corporation	1828846
Plimbing Confession to a	License #
Description of Work _ // Umblos	- 21/
- Kevin Jones Plante	# Baths 3/2
Humbling Contractor's Company Name	9/0 978 <u>3288</u> Telephone
Address : Address :	••
	Kevin Jones Plumbing a NC. M. com Email Address
Signature of Owner/Contractor/Officer(s) of Corporation	27018P-1
Signature of Owner/Contractor/Officer(s) of Corporation Insulation Contractor/Information	License #
	910-990-5928
Insulation Contractor's Company Name & Address	Telephone 770 5748
*NOW	

*NOTE: General Contractor must fill out and sign the second page of this application.

I hereby certify that I have the authority to make necessary application that the application is correct and that-the construction will conform to the regulations in the Building Electrical Plumbing and Mechanical codes and the Harnett County Zoning Ordinance I state the information on the above contractors is correct as known to me and that by signing below I have obtained all subcontractors permission to obtain these permits and if any changes occur including listed contractors site plan number of bedrooms building and trade plans Environmental Health permit changes or proposed use changes I certify it is my responsibility to notify the Harnett County Central Permitting Department of any and all changes

any and all changes

EXPIRED PERMIT FEES - 6 Months to 2 years permit re-issue fee is \$150 00 After 2 years re-issue fee is as per current fee schedule

Signature of Owner/Contractor/Officer(s) of Corporation

Date

Affidavit for Worker's Compensation N.C.G.S. 87-14

	Affidavit for Worker's Compensation N C G S 87-14 The undersigned applicant being the
i	General Contractor Owner Officer/Agent of the Contractor or Owner
	Do hereby confirm under penalties of porture that it
1	Do hereby confirm under penalties of perjury that the person(s) firm(s) or corporation(s) performing the work
	Has three (3) or more employees and has obtained workers compensation insurance to cover them
1	Has one (1) or more subcontractors(a) and the
	Has one (1) or more subcontractors(s) and has obtained workers compensation insurance to cover them them
	Has one (1) or more subcontractors(s) who has their own policy of workers compensation insurance
	Has no more than two (2) employees and no subcontractors
	While working on the project for which this permit is sought it is understood that the Central Permitting Department issuing the permit may require certificates of coverage of worker's compensation insurance prior carrying out the work
	Company or Name Wellco Contractors; Inc.
8	Sign w/Title horbs fiftelle Date 12-5-16
	Jaie 17 Je

Date	1219114
Job Name	Weller
on 242 208	SQ Feet 2523 Garage 420 = 29 u3
/lono	Basement
Ele. Under Slab Address Mono Slab Rough In Insulation	Footing Foundation Waterproofing Plum Under slab Address Slab Open Floor Rough In Insulation Final
ealth	Other
- F E C N F III	Mono Plum Under Slab Ele. Under Slab Address Mono Slab Rough In Insulation Final

.