HTE# 17-5-40675

## Harnett County Department of Public Health


29410

	Improvement Permit
A buildi	ng permit cannot be issued with only an Improvement Permit
ISSUED TO: 120MAZO SMITH	PROPERTY LOCATION: 338 Docs Ro  SUBDIVISION
NEW REPAIR . EXPANSION .	Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: SFO (32×76)  Proposed Wastewater System Type: 25% R600CS	resolution required prior to construction Authorization Issuance:
Projected Daily Flow: 360 GPD	1 mm >>35 Em
Number of bedrooms: 3 Number of Occupants:	G max
Basement 🗆 Yes 🔀 No	IIIdX
Pump Required: ☐Yes No ☐ May be required ba	sed on final location and elevations of facilities
Type of Water Supply:  Community Public  Nermit conditions:	Well Distance from well 100 feet Permit valid for:
Conditions.	No expiration
Authorized State Agent::	PGH5 Date: 2 23 17 SEE ATTACHED SITE SWETCH
site is subject to revocation if the site plan, plat, or the intended use shores. I	
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this	issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to compliance with the provisions of permit.
	Construction Authorization
TI	(Parallel I C D III D
one construction and installation requirements of Rules .1950, .1952, .1954, .1955 with the attached system layout.	(Negured for Building Permit), . 1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO O - S	, and the instance in accordance
DONATO SUJIH	PROPERTY LOCATION: 338 Docs RD  SUBDIVISION LOT #
Facility Tyne: SEO (32×76)	SUBDIVISION LOT #
Basement?  Yes No Basement Fixtures?	New Expansion Repair
Type of Wastewater System** 25% RED	→ Yes → No
(See note below, if applicable   )	□ Yes No System (Initial) Wastewater Flow: 360 GPD
25% RENI	er of trenches 3 (Repair)
Installation Requirements/Conditions Number	er of trenches 3
Septic Tank Size 1000 gallons Exact	enorth of each transh 75
rump Tank Size gallons Trench	es shall be installed on contour at a Soil Cover: See (1)
Maximo	Im Trench Depth of: 18-23 inches inches (Maximum soil cover shall not exceed
(Trench	bottoms shall be level to +/-1/4"  36" above the trench bottom)
in all	firections)
Pump Requirements:ft. TDH vs GPM	inches below pipe
Conditions:	
Conditions:	inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT.	EDOM ANY DART OF CERTIC SYSTEM OR DESCRIPTION
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIE	TROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
The system type specified is different	nt from the type specified on the application. I accept the specifications of this permit.
his Construction Authorization is subject to responsition if the site plan plat or the in	tended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
onstruction Authorization is subject to compliance with the provisions of the Laws and	Rules for Sewage Treatment and Disposal and to the conditions of this permit
uthorized State Agent:	Construction Authorization Expiration Date: 2/23)
	Construction Authorization Expiration Date: 2 1220
	2)

HTE#	1-	7	~	5-	. 2	0	6	7	~
IIILTT	<u>r</u>	•			-	0	0	1	0

Permit # \_ 29410

## Harnett County Department of Public Health Site Sketch



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Sheet: Property ID: Lot #: File #:

Code:

Owner:	Applicant:			
Address:		Date Evaluated:		
Proposed Facility:	3 BOEW	Design Flow (.1949): 3-0	Property Size:	
Location of Site:		Property Recorded:	reporty once.	
Water Supply:	Public	□ Individual □ Well	Spring	Other
Evaluation Method	d: Auger Boring	☐ Pit ☐ Cut	ps	_ other
Type of Wastewate	er: Sewa		☐ Mixed	

P R O F I L	.1940 Landscape	Horizon	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
E #	Position/ Slope %	Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1	9.2 Ta	0-6	GS	Arcustra					
		<i>( " \ </i>	53 11 C	F1 85/20	10187202				20
2		0-19	63	पर्णास्य तम					
		19	BXC	Fr soly	asso 31,				w
- 7		0-24	65	VAN VEJUP					
		24-40	28 K & L	VEN VELUP					P5
_									

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): P \( \)
Available Space (.1945)	1	1	Evaluated By: CL
System Type(s)	230%	280	Others Present:
Site LTAR	.4	1.4	Others resent.