
## HTE#17-5-41143R Harnett County Department of Public Health

**Improvement Permit** 

A	building permit cannot be issued with only ar		
1 / 1 / 1/m	PROPERTY LOCATION	2215 HAMEN ON	ral RD
ISSUED TO: Conseiled from		AN Kettle Messlow	2 LOT # 5
NEW REPAIR EXPANSIO	N 🗆 Site Imp	provements required prior to Construction Auth	orization Issuance:
Type of Structure:		The state of the s	
Proposed Wastewater System Type: 25% Rosle Projected Daily Flow: GPD GPD	-tou		
	8/-		3
Basement Yes No	ants:max		
	red based on final location and elevations of f	(-T.)	
	Well Distance from well		
Permit conditions:	Well Distance Holli Well	feet Permit valid for:	Five years
10000000000000000000000000000000000000			☐ No expiration
\$ . 1	1 1 1		
Authorized State Agent:	ANKAN Date: 5	5-9-17 SEE AT	TACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guaran	tees the issuance of other permits. The permit holder is re-	esponsible for checking with appropriate governing bodies	in masting their articles TI
site is subject to revocation a tile site plan, plat, or the intended use cr	langes. The Improvement Permit shall not be affected by a	a change in ownership of the site. This permit is subject t	o compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions	of this permit		
	Construction Authoriz	ation	
	(Required for Building Permi	it)	
The construction and installation requirements of Rules .1950, .1952, .19	54, .1955, .1956, .1957, .1958. and .1959 are incorporat	ted by references into this permit and shall be met. System	ns shall be installed in accordance
with the attached system layout.	•		ascordance
ISSUED TO: Cunhelped Homes -	DOODEDTY LOCATIO	W 50 7715 1 La To	B 4 0.0
1350ED 10	4		Cather 2111
Facility Types		non Keth Bars	LOT # 5
Facility Type:	New Expansion	☐ Repair	- 1-/
Basement?  Ves  No Basement Fixtu	ires? Yes No		360
Type of Wastewater System** 25% Reduce	turysta	(Initial) Wastewater Flow:	GPD GPD
(See note below, if applicable □)			T.
250 not	ube Zetil (Repair)		
Installation Requirements/Conditions	Number of trenches		
Septic Tank Size / 600 gallons	Exact length of each trench 300	feet Trench Spacing:	Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at	1 0	inches
\$	Maximum Trench Depth of: 18""		
	(Trench bottoms shall be level to +/-1/4		
	in all directions)	30 above the trench bot	tom)
Pump Requirements:ft. TDH vs	GPM	/	
16 10H 13.	. 0111		inches below pipe
Conditions		Aggregate Depth:	inches above pipe
Conditions:			12 inches total
	position of the state of the st		
WATER LINES (INCLUDING IRRIGATION) MUST BE	10FT. FROM ANY PART OF SEPTIC SY	STEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DR	AIN FIELD AREA.		
			1000
**If applicable: I understand the system type specified in	s different from the type specified on the	application. I accept the specifications of	this permit.
0 // 1.0			
Owner/Legal Representative Signature:		Date:	
his Construction Authorization is subject to revocation if the site plan, pla	t, or the intended use changes. The Construction Authoriza	ation shall not be transferred when there is a change in o	wnership of the site. This
construction Authorization is subject to compliance with the provisions of t	ne Laws and Rules for Sewage Treatment and Disposal and	d to the conditions of this permit.	ATTACHED SITE SKETCH
5 .1	1 1 Dans	-	
Authorized State Agent:	whom the RANS	Date: 5 -9 -17	
	Construction Authority C	5 2 3	

## Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON & 2213	Howett (	sanal ZIS
ISSUED TO: Cumberlynd Home	S SUBDIVISION BriAN	Kerth Mar.	laus LOT # 5
ISSUED TO: Cumberly of Home Authorized State Agent: 2000	Manhant 1	Defe 5-9	9-17



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet: Property ID: Lot #: File #: Code:

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Address:	Applicant: Cold	rate Evaluated: 5-817		
Proposed Facility: Location of Site:	Str D	resign Flow (.1949): See	Property Size:	
Water Supply: Evaluation Method:	Public	Individual Well	☐ Spring	Other
Type of Wastewater:			☐ Mixed	

P R O F I	.1940 Landscape			OTHER PROFILE FACTORS					
E #	Position/ Slope %	Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
, 2	L-	0-7	SC-Con	126KNONO					
3		7-36	56-C/Ag	an Boks C.	28-30·5A	2830"	Sa	P	-3
				(6)					
120									
1									
+									
+									
+									
_									
$\pm$									

Description	Initial	Repair System	Other Factors (.1946):
	System		Site Classification (.1948): DC
Available Space (.1945)	-	V	Evaluated By
System Type(s)	2542	2520	Others Present:
Site LTAR	-3	• 3	Onlers Flesent.