29508

HTE# 17-5-41170

## Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: FOLLY CT

SUBDIVISION SNECTWATER LOT # 56 EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 550 (46'×38') Proposed Wastewater System Type: 25% REDUCTION SYSTEM Projected Daily Flow: 480 Number of bedrooms: Number of Occupants: 8 Basement Yes No ≥ No Pump Required: ☐Yes ☐ May be required based on final location and elevations of facilities Type of Water Supply: 

Community Public Well Distance from well feet Five years Permit valid for: Permit conditions: ☐ No expiration SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Persuit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: NERCON LUC. PROPERTY LOCATION: FORW G.

SUBDIVISION SWEETWATER LOT # 56 Facility Type: 550(46.38)

New | SUBDIVISION | Dween. Basement? 
Yes No Basement Fixtures? 
Yes No

Type of Wastewater System\*\* 
25% 
REDUCTION System (Initial) Wastewater Flow: 480 (See note below, if applicable Pume To 25% RED STO (Repair) Installation Requirements/Conditions Exact length of each trench 240 feet Trench Spacing: \_\_\_\_\_ Feet on Center Septic Tank Size LOOO gallons Pump Tank Size gallons Trenches shall be installed on contour at a Soil Cover: 24-30 inches Maximum Trench Depth of: 36-42 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM \_\_\_\_\_ inches below pipe Aggregate Depth: \_\_\_\_\_\_ inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

## Harnett County Department of Public Health Site Sketch

ISSUED TO:	IVENCON INC	PROPERTY LOCATON: FUZZY G	LOT # <u>56</u>
	State Agent:	REINS (OLINGA TOLKSDOR) Date: 5 5-17	
-		50%	
			60'
	L ,	REPAIR	)
144	į	AREA	(
	1		
	7/8		
	PORCH		
	House		
		195	
	35-/2	TO DISCO	OR TO INSTALLATION SS TRENCH DEPTH
Ţ	V/ & /		73 11400 00 11
Fo	TUDY CX		