HTE# 17-5-41364 Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION 1799 WITTE PER __ NOISIVIDAU2 NEW 🖃 EXPANSION -Site Improvements required prior to Construction Authorization Issuance: Type of Structure: Proposed Wastewater System Type: 2502 Roberton Projected Daily Flow: 360 Number of bedrooms: Number of Occupants: Basement Yes Pump Required: ☐Yes May be required based on final location and elevations of facilities ☐ No Type of Water Supply:

Community

Public

Well Distance from well 1001 Permit valid for: Five years Permit conditions: ☐ No expiration Authorized State Agent: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance PROPERTY LOCATION: SKM99 WITSE RD Facility Type: Expansion Basement? Yes Type of Wastewater System** (Initial) Wastewater Flow: 360 (See note below, if applicable

) Installation Requirements/Conditions Septic Tank Size / O gallons Pump Tank Size Trenches shall be installed on contour at a Maximum Trench Depth of: 18-16 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. GPM Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent:

Harnett County Department of Public Health Site Sketch

	Site Sketch
	PROPERTY LOCATON SCL 799 WIDE TO
ISSUED TO	: Doddy LNIGhthowsex SUBDIVISION LOT # A
	State Agent: Date: 6-6-17
	Et Bilds I legal I
	2-121 38×32 Rest West 30 MSFD A Contractor to meet ONSITE Prior to INSTALL.
5	2 1799 158822

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Locat Water Evalu		JA.	Des Prop	e Evaluated: 22 ign Flow (.1949): perty Recorded:	Property S Well	g 🗌 Oth	er		
P R O F I L E	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL M .1941 Structure/ Texture	ORPHOLOGY .1941 .1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	OTHER PROFILE FACTOR .1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
)	18%	0-18	SC			Depui (ii.)	Class	HOHZ	& LIAR
		18- 40	سلع	Facusty Fan 1845.1	34.32 30	Ý.			.35
Z	39	0-10	5L	FL 6L WSNP					
		10-40.	uc-ang	AL WSAP Audsoks.l	30-32 31	-			.35
			0						
-11-2-2-2-2-2									

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948):
Available Space (.1945)			Evaluated By:
System Type(s)	152	285	Others Present:
Site LTAR	-35	.35	Outers Present: