29816

HTE# 17-5-41425 RQ Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit ISSUED TO: DAXOTA LAND PARTNERS SUBDIVISION MAMIE BEZZ RIGEE LOT #68 REPAIR (40'×50') Site Improvements required prior to Construction Authorization Issuance: NEW Type of Structure: ___ Proposed Wastewater System Type: 25% REDUCTION SYSTEM Projected Daily Flow: 360 GPD Number of bedrooms: 3 Number of Occupants: 6 max Basement Yes ≥ No Pump Required: ☐Yes ☐ May be required based on final location and elevations of facilities Type of Water Supply:

Community Public Well Distance from well ________ feet Permit valid for: Five years Permit conditions: ___ ☐ No expiration SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: DAKOTA LAND PARTHERS PROPERTY LOCATION: OLO USH21
SUBDIVISION MAMIE BELL RIOGE LOT # 68 Facility Type: SFO (40-50) SUBDIVISION MANGE | Repair No Basement Fixtures? ☐ Yes ☐ No Basement? ☐ Yes 🕱 No Basement Fixtures? ☐ Yes ☐ No
Type of Wastewater System** _ 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD (See note below, if applicable) Number of trenches 1

Exact length of each trench 25 feet Trench Spacing: 9 Feet on Center Installation Requirements/Conditions Septic Tank Size 1000 gallons Trenches shall be installed on contour at a

Maximum Trench Depth of: 12-78 inches

(Trench bottoms shall be level to +/-1/4" SEE

Soil Cover: 6 inches

(Maximum soil cover shall not exceed)
36" above the trench bottom) Pump Tank Size _____ gallons in all directions) Pump Requirements: ft. TDH vs. GPM _____ inches below pipe Conditions: PERMIT BASES ON PROPOSAL From ARRICANTS ______ inches above pipe ______ inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

