29693

HTE# 17-5-41429

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: OLO USY21 DAICOSA LAND PARENGES SUBDIVISION MAMIE BELL EXPANSION Site Improvements required prior to Construction Authorization Issuance: SED (50×50) Type of Structure: Proposed Wastewater System Type: Pung To 25% RGD. Sts. Projected Daily Flow: 480 Number of Occupants: ____8 ____max Number of bedrooms: Basement Yes ☐ May be required based on final location and elevations of facilities Pump Required: Deves ☐ No Type of Water Supply:

Community Public Well Distance from well feet Permit valid for: Five years Permit conditions: ■ No expiration The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: DAKOTA LAND PARKILERS PROPERTY LOCATION: On US421 SUBDIVISION MAMIE BELL RIDGE SED (20,×20) × New Expansion No Basement Fixtures? Tes No
Pump To 2520 REDUCTION System (Initial) Wastewater Flow: 480 Type of Wastewater System** **GPD** (See note below, if applicable \square) Pume To 25%, DGD. SYS (Repair) Number of trenches Installation Requirements/Conditions Exact length of each trench _200 feet Septic Tank Size 1000 Pump Tank Size LOOO Trenches shall be installed on contour at a Maximum Trench Depth of: \\ \ inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. inches below pipe Aggregate Depth: ______ inches above pipe Conditions: inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: OLD US421

ISSUED TO: DAKOTA LAND PARTICLES SUBDIVISION MANYE BELL ROSE LOT # 80A

Authorized State Agent: ROYS (OLIVERTOLYSDORD) Date: 8 4 17

TO FINAL ORDIN FIGHD LAYOUT TO BE PETERMINED AFTER AREA IS CLEAPED

* ANY WETLAND CROSSINGS MUST BE DONG TO MEET ANY AND ALL STATE OR FEDERAL REQUIREMENTS.

