

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Wynn Construction Inc. PROPERTY LOCATION: 51425 Chalybeate RD. SUBDIVISION: Avery Pond LOT # 43. Includes checkboxes for NEW, REPAIR, EXPANSION, Type of Structure, Proposed Wastewater System Type, Projected Daily Flow, Number of bedrooms, Basement, Pump Required, Type of Water Supply, and Permit valid for.

Authorized State Agent: [Signature] Date: 6-13-17 SEE ATTACHED SITE SKETCH. The issuance of this permit by the Health Department in no way guarantees the issuance of other permits.

Construction Authorization (Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met.

ISSUED TO: Wynn Construction Inc. PROPERTY LOCATION: 51429 Chalybeate RD. SUBDIVISION: Avery Pond LOT # 43. Facility Type: SFD. Includes checkboxes for New, Expansion, Repair, Basement, and Basement Fixtures. Details include Septic Tank Size (1200 gallons), Pump Tank Size (1200 gallons), Number of trenches (3), Trench length (130 feet), Trench Spacing (9 feet), and Aggregate Depth (12 inches total).

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 6-13-17 Construction Authorization Expiration Date: 6-13-22

HTE# 17-5-41491

Permit # 29393

Harnett County Department of Public Health Site Sketch

ISSUED TO: Wynal Construction Inc PROPERTY LOCATION: SR 1429 Chalybeate RD
SUBDIVISION: Avenay Pond I LOT # 43
Authorized State Agent: James E. Markham Jr. RLS Date: 6-13-17



