
HTE# 17-5-41581 Harnett County Department of Public Health

Improvement Permit

A	building permit cannot be issued with only an Improven		alled in OA
ISSUED TO: Kosen Benaman		Hodges CHAP61	
NEW □ REPAIR □ EXPANSION		required prior to Construction Authoriz	LOT #
Type of Structure: SFD	Site improvements	required prior to construction Authoriz	ation issuance.
Proposed Wastewater System Type: 25% RED	KTON		
Projected Daily Flow: 360 GPD			
Number of bedrooms: Number of Occupa	ants: max		V)
Basement ☐Yes ☑ No			
	ed based on final location and elevations of facilities		/
Type of Water Supply: Community Public Permit conditions:	□ Well Distance from well <u>So</u> feet	Permit valid for:	✓ Five years✓ No expiration
¢ 1	1 1-3 PRWS		
Authorized State Agent:	sharet Date: 6-27	- / 7 SEE ATTAC	CHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarant	ees the issuance of other permits. The permit holder is responsible for	checking with appropriate governing bodies in m	neeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use ch	anges. The Improvement Permit shall not be affected by a change in a	ownership of the site. This permit is subject to co	mpliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions	of this permit		
	C A .I		<u> </u>
	Construction Authorization		
	(Required for Building Permit)		
The construction and installation requirements of Rules .1950, .1952, .195 with the attached system layout.	4, .1955, .1956, .1957, .1958. and .1959 are incorporated by referer	ces into this permit and shall be met. Systems sl	nall be installed in accordance
ISSUED TO: Logen Bengman	PROPERTY LOCATION:	709 Hodge CAAple	OCHUNEARS
Facilities Towns	SUBDIVISION Crown		LOT #/
Facility Type:	_	ır	
Basement? Yes No Basement Fixtu		AND DISCOURSE OF THE STATE OF T	
Type of Wastewater System** 25% (CD)	10 WN SYSTES	(Initial) Wastewater Flow: _	368 GPD
(See note below, if applicable □)	000		
1 and 100	510 Nedectro (Repair)		
Installation Requirements/Conditions	Number of trenches	9	
Septic Tank Size gallons Pump Tank Size gallons	Exact length of each trench feet		eet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a		ches
	Maximum Trench Depth of: 26 - 18 inche		
	(Trench bottoms shall be level to +/-1/4"	36" above the trench botton	m)
D D (5 TOW	in all directions)		
Pump Requirements:ft. TDH vs	GPM	_6	inches below pipe
7 - P		Aggregate Depth:	inches above pipe
Conditions:			inches total
			9747 N. 10 10 10 10 10 10 10 10 10 10 10 10 10
WATER LINES (INCLUDING IRRIGATION) MUST BE		R REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DR	AIN FIELD AREA.		
**If applicable: / understand the system type specified	is different from the type specified on the applicati	on I account the specifications of the	's narmit
- apprecion. I understand the system type specimen	s unicient from the type specified on the appricati	on. I accept the specifications of this	s permit.
Owner/Legal Representative Signature:		Date:	
onistruction Authorization is subject to revocation if the site plan, pla Construction Authorization is subject to compliance with the provisions of t			ership of the site. This TACHED SITE SKETCH
	to carry and notes for sewage freatment and obsposal and to the con	unions of this permit. SEE Al	INCHED SHE SKEICH
Authorized State Agent:	Montas Date	: 6-27-1-	7
	Construction Authorization Expiration	Date: (-27	7.7

Harnett County Department of Public Health Site Sketch

Authorized State Agent: Date: 6-27-17



CROWNVIEW LANE

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Address:	Applicant:	Bengmin Date F	Evaluated: 6 72-77.			
Proposed Facility:	500	Design	Flow (.1949).360		roperty Size:	
Location of Site: Water Supply: Evaluation Method	L	Proper Public□ Inc	ty Recorded:	□ Cut	Spring	Other
Type of Wastewate		Sewage	☐ Industrial Proce		Mixed	
P						

	.1940 Landscape	Horizon	SOIL MORPHOLOGY		OTHER PROFILE FACTORS				
	Position/ Slope %	Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
23	7-3%	0-15	بر		The second secon				625
- V		15 - 42	SCIAY	FRMISBKS.P.	34-36"				. 3
									,,,,

Description	System ,	Repair System
Available Space (.1945)		
System Type(s)	283	250
Site LTAR	- 3	13

Other Factors (.1946): Site Classification (.1948): Evaluated By Others Present: