Department of Environment, Health and Nati	
Division of Environmental Health	
On-Site Wastewater Section	

lesources Sheet:
Propert
Lot #:

Property Lot #:
File #:
Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Location Water Evalua		Auge	Date Desig Prope Public ☐ In	Evaluated: gn Flow (.1949): L ₃ & erty Recorded: ndividual	Cut Spring	g Otho	er		
E Position	.1940 Landscape	Horizon	SOIL MORPHOLOGY		.1942				
	Position/ Slope %	Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
١		0-69	G 3	ner rejuo					5/8
				2 0					a
2		0-84	65	As my Jal					5,8
Description Initial Repair System Other Factors (.1946): System System Site Classification (.1948): 5 Available Space (.1945) Fivaluated By: Ost									
System Type(s) PVMP 2574 Others Present:									
Site LT	AR		1 %	. 4					

COMMENTS: ____

LANDSCAPE POSITIONS	GROUP	<u>TEXTURES</u>	. <u>1955 LTAR</u>	CONSISTENCE MOIST	WET
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY
FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	II	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	S-STICKY VS-VERY STICKY NP-NON-PLASTIC
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	Ш	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3		SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC

IV SIC-SILTY CLAY C-CLAY SC-SANDY CLAY

STRUCTURE SG-SINGLE GRAIN M- MASSIVE CR-CRUMB GR-GRANULAR

SBK-SUBANGULAR BLOCKY ABK-ANGULAR BLOCKY


PL-PLATY PR-PRISMATIC MINERALOGY SLIGHTLY EXPANSIVE

EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

0.4 - 0.1





SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC., INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

	SUBDIVISION:	SUMMERIN		LOT	4		
	INITIAL SYSTEM:	APPROVED 25% RECUCTION		REPAIR	APPROVE	ED 25% REPUETIO	2
	DISTRIBUTION:	SERML		DISTRIB	UTION J	16pm	
	BENCHMARK:	100.0		LOCATIO	ON FC	3/4	
	NO. BEDROOMS	: 3	-	LTAR	0.8 6	SPD/FT2	
	LINE F	LAG COLOR	ELEVA.	TION		LENGTH	
	4.	P	77.7	The second second second		35'	
1.	12	<i>w</i>	97.3			60	
for .	L3A	P	86.2	.5		45	
by boar						140	
	30	P	96.25			30'	
	4	W	95.58			75'	
	_5	Р	94.92			21,	
						180 AVALL	
					0		
	BY BC Rayner				DATE 0	5/2017	
	TYPICAL PROFIL	<u> </u>			THERE SHA	LL BE NO GRADING,	
	0-40			CUTTING, L	OGGING OR OTHER SOI	L	
	Cr 2 740"				DISTURBAN	NCE IN SEPTIC AREA	
	Mark Will - International Advances in the International Conference on the International Confer				ANY DISTU	RBANCE <i>MAY CAUSE A SI</i>	TE
					TO BECOM	E UNSUITABLE	

