

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: STANLEY BUILDERS INC. PROPERTY LOCATION: 51563 Bill Avery RD. SUBDIVISION: Birchfield LOT # 37. NEW [X] REPAIR [ ] EXPANSION [ ]. Type of Structure: SFD. Proposed Wastewater System Type: 25% Reductor. Projected Daily Flow: 360 GPD. Number of bedrooms: 3 Number of Occupants: 6 max. Basement [ ] Yes [X] No. Pump Required: [ ] Yes [ ] No [X] May be required based on final location and elevations of facilities. Type of Water Supply: [ ] Community [X] Public [ ] Well. Distance from well: feet. Permit valid for: [X] Five years [ ] No expiration.

Authorized State Agent: James E. Mansueti Date: 9-1-17 SEE ATTACHED SITE SKETCH. The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: STANLEY BUILDERS INC. PROPERTY LOCATION: 51563 Bill Avery RD. SUBDIVISION: Birchfield LOT # 37. Facility Type: SFD [X] New [ ] Expansion [ ] Repair [ ]. Basement? [ ] Yes [X] No. Basement Fixtures? [ ] Yes [X] No. Type of Wastewater System: 25% Reductor Septic (Initial) Wastewater Flow: 360 GPD. (See note below, if applicable [ ]). 25% Reductor (Repair)

Installation Requirements/Conditions. Number of trenches: 3. Septic Tank Size: 1000 gallons. Exact length of each trench: 80 feet. Trench Spacing: 9 Feet on Center. Pump Tank Size: gallons. Trenches shall be installed on contour at a Maximum Trench Depth of: 22 inches. (Trench bottoms shall be level to +/- 1/4" in all directions). Pump Requirements: ft. TDH vs. GPM. Aggregate Depth: 6 inches below pipe, 2 inches above pipe, 12 inches total.

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: Date:

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Mansueti Date: 9-1-17 Construction Authorization Expiration Date: 9-1-22

HTE# 17-5-42085

Permit # 29613

# Harnett County Department of Public Health Site Sketch

ISSUED TO: STANLEY BUELDORF INC. SUBDIVISION 81563 Bill Avery RD LOT # 37

Authorized State Agent: James E. Mankard III Date: 9-1-17



