29710


HTE#17-5-42089

Harnett County Department of Public Health

Improvement Permit

A Duilding pe	mit cannot be issued with only an Im	83 SHUE R	
ISSUED TO: FRANK SHUE	The second secon	OS SAUE AS	107.41
NEW REPAIR EXPANSION	SUBDIVISION	amonto required suitar to Construction Aut	LOT #I
Type of Structure: SFO (64° ×54°)	Site improvi	ements required prior to Construction Aut	norization issuance:
Proposed Wastewater System Type: 25% REDUCTION	System	1 18:57	3000
Projected Daily Flow: 340 GPD	75 75		
Number of bedrooms: Number of Occupants:	max		
Basement □Yes ➤ No			
Pump Required: □Yes No □ May be required based o	n final location and elevations of facili	ities	
Type of Water Supply: Community Public Well	Distance from well 100	feet Permit valid for:	Five years
Permit conditions:			No expiration
	-	1.2	
Authorized State Agent::			ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance site is subject to revocation if the site plan, plat, or the intended use changes. The Im the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit	provement Permit shall not be affected by a cha	nsible for checking with appropriate governing bodie ange in ownership of the site. This permit is subject	s in meeting their requirements. This to compliance with the provisions of
the tars and notes for serage freatment and bisposar and to conditions of this permit			
	anstruction Authorizat		
<u>U</u>	onstruction Authorizat	<u>1011</u>	
	(Required for Building Permit)		
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .19 with the attached system layout.	.6, .1957, .1958. and .1959 are incorporated b	y references into this permit and shall be met. Syst	ems shall be installed in accordance
ISSUED TO: FRANK STIVE		483 SHUERD	
Facility Type: 5FO(69'x54')	SUBDIVISION	Repair	LOT # _ _
Basement? Yes No Basement Fixtures?	•	nepair	
		(Initial) Wastewater Flow	245 cm
(See note below, if applicable \square)	N313,641	(IIIIIai) Wastewater Flov	w: 240 GPD
Pune To 25%	RED. Sys. (Repair)	LOT REVAIO EXEMPT)	
	of trenches 1		
	gth of each trench 100	_ feet Trench Spacing: _ 9	Feet on Center
	shall be installed on contour at a	Soil Cover: 6-8	inches
A STATE OF THE STA	Trench Depth of: 18-20		
	•		
· ·	ottoms shall be level to +/-1/4"	36" above the trench b	ottom)
in all dir	ctions)		to the following
Pump Requirements:ft. TDH vs GPM			inches below pipe
C - 122			inches above pipe
Conditions:		_	inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FI		EM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIEL	D AREA.		
**If applicable: / understand the system type specified is different	from the type specified on the 2	polication I account the specifications	of this normit
	nom the type specified on the ap	opincation. I accept the specifications to	ii uns perinic.
Owner/Legal Representative Signature:		Date:	
This Construction Authorization is subject to revocation if the site plan, plat, or the inte	nded use changes. The Construction Authorizatio		
Construction Authorization is subject to compliance with the provisions of the Laws and	Rules for Sewage Treatment and Disposal and to	o the conditions of this permit.	EE ATTACHED SITE SKETCH
Mal all		1 1	
Authorized State Agent:	27/2	Date: 9817	
	Construction Authorization Expi	1 1 1 1	

Harnett County Department of Public Health Site Sketch



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #:

Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner:	Applicant:			
Address:		Date Evaluated:		
Proposed Facility: 3	7 BOSIN	Design Flow (.1949): 240 50 1	Property Size:	
Location of Site:		Property Recorded:	10 <u>0000</u>	_
Water Supply:		☐ Individual ☐ Well _	☐ Spring	☐ Other
Evaluation Method:		☐ Pit ☐ Cut	_	
Type of Wastewater:	Sewa	ge Industrial Process	Mixed	

P R O F I .1940			SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
L E #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
)		0-32 32	6 5 8m	YEN WYND					24
		32	6						
2		0-36	65	ATT NISH					2,4
							Residence States		
3		0-19	G 5	Wie without Pr sdap					0.5
		M-39	3×C	Fr sd>p					P7 -4
					W.07				
					10000				
43							×		
									20.00

					10.000 BBBB				
					A CONTRACTOR OF THE CONTRACTOR				

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): 95
Available Space (.1945)	7	./	Evaluated By: ⊘≺
System Type(s)	25%.000	brub	Others Present: —
Site LTAR	8.	.4	