HTE# 17-5-42299

Harnett County Department of Public Health

29236

Improvement Permit

A building permit cannot be iss	ued with only an Improvement Permit	522005
PROPERT	ived with only an Improvement Permit TY LOCATION: <u>78 Vic McCloud CE</u> (Brick Millad.
ISSUED TO: Wide Jurney Homes SUBDIVI NEW REPAIR D EXPANSION D	ISION Cottlestore	LOT # 30
NEW 😡 REPAIR 🗆 🛛 EXPANSION 🗆	Site Improvements required prior to Construction Authori	
Type of Structure: 4BR 38'×38' SED		
Proposed Wastewater System Type: 2590 Reduction 535.		
Projected Daily Flow: 480 GPD		
Number of bedrooms: <u>4</u> Number of Occupants: <u>8</u> max		
Basement Yes I No		
Pump Required: 🗆 Yes 🛛 No 🕞 May be required based on final location ar	nd elevations of facilities	
Type of Water Supply: 🗆 Community 🕞 Public 🔲 Well Distance from v		□ Five years
Permit conditions:		\Box No expiration
Authorized State Arent.	Data: 112/12/2017 CEE ATT	

Authorized state Agent: ______ SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Wade Jurney Home	es property location: _78	Vic McCloud Sta (Brick Mill M)		
5		lestone LOT # 30		
Facility Type: 432 381×381 5FD		5		
Basement? Ves Ao Basement Fixtures? Yes No				
Type of Wastewater System** 25%	Reduction System	(Initial) Wastewater Flow: 480 GPD		
(See note below, if applicable)				
	uction 5350 (Repair)			
Installation Requirements/Conditions	Number of trenches 3			
Septic Tank Size 1000 gallons	Exact length of each trench 600 feet	Trench Spacing: Feet on Center		
Pump Tank Size gallons	Trenches shall be installed on contour at a	Soil Cover: 16 inches		
15. II - Ster 181 - Karamada 182	Maximum Trench Depth of: 28 inches	(Maximum soil cover shall not exceed		
	(Trench bottoms shall be level to $+/-1/4$ "	36" above the trench bottom)		
	in all directions)	contraction and an encourage encourage and the second		
Pump Requirements:ft. TDH vs	_ GPM	inches below pipe		
		Aggregate Depth: inches above pipe		
Conditions:		$\sim \alpha$ inches total		

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the	application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization and the site plan, plat, or the intended use changes.	ation shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and	d to the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Agent: Construction Authorization Experiments Construction Authorization Experiments	

