Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit ISSUED TO: CURRIN, ROBERS & REBECCA SUBDIVISION CURRIN PLANTATION LOT # 1-Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SED (5 9 ×47) Proposed Wastewater System Type: Conventional Projected Daily Flow: 480 GPD Number of bedrooms: Number of Occupants: 8 Basement Yes No Pump Required: ☐Yes No ☐ May be required based on final location and elevations of facilities Type of Water Supply:

Community Public

Well Distance from well

feet Permit valid for: Five years Permit conditions: ☐ No expiration ____ SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance Facility Type: SFO(5924)

New | Expansion | Repair Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System** (Initial) Wastewater Flow: 480 GPD CONVENTIONAL (Repair) Installation Requirements/Conditions Number of trenches ___ Septic Tank Size 1000 gallons 9 Feet on Center Exact length of each trench __ 460 Pump Tank Size _____gallons Trenches shall be installed on contour at a Soil Cover: 6-18 Maximum Trench Depth of: 18-30 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. GPM _____ inches below pipe Aggregate Depth: ______ inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: ___ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date: _

HTE# _	17 -	5-	42327	
--------	------	----	-------	--

Permit # 29725

Harnett County Department of Public Health Site Sketch

¿ REBECEA SUBDIVISION CURRIN PLANTATION REHSCOLIVER TOLKSDOTE Date: 10617 Authorized State Agent: 190 REPAIR ARGA FUTURE BUILDING 287 297 HOUSE 12 80, SOUTHERN PLACE

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Sheet: Property ID: Lot #: File #: Code:

Owner:	Applicant:			
Address:		Date Evaluated:	767	
Proposed Facility:	M80821	Design Flow (.1949): 486 5	Property Size:	0
Location of Site:		Property Recorded:	, , , , , , , , , , , , , , , , , , , ,	11.
Water Supply:	Publi Publi	c□ Individual □ Well	☐ Spring	☐ Other
Evaluation Method	Auger Boring	☐ Pit	Cut	outer
Type of Wastewate	er: Sewa	age Industrial Proces	s Mixed	

P R O F I .1940 L Landscape E Position/ # Slope %		SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS					
	Position/	ition/ Depth	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1	L5 2.5	0.50	6 L5	VF71.5)~D					
-th -seven		2043)	Sex C	VFN.5)~D			2		P5
					- 1				
2		0.46	G 49	N21 12) NB					
		12-42	58× CZ	KN 22/26					P5 . 4
								4	
					A.				
								= =	
-									

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948):
Available Space (.1945)	1	1	Evaluated By:
System Type(s)	\$5500H	00.5	Others Present: —
Site LTAR	35	75	Others Present.