Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: OLO USAZ) ISSUED TO: GARY ROBINSON HOMES INC SUBDIVISION EXPANSION Site Improvements required prior to Construction Authorization Issuance: SED (50×42) Type of Structure: Proposed Wastewater System Type: 25% DEDUCTION SYSTEM Projected Daily Flow: 480 GPD Number of bedrooms: _ 4 Number of Occupants: _____ max Basement Yes Pump Required: ☐Yes → No ☐ May be required based on final location and elevations of facilities Permit valid for: Five years Permit conditions: ☐ No expiration Authorized State Agent::

Date: 10 3 17

SEE ATTACHED SITE SKETCH


The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: GROW ROBINSON HOMES INC PROPERTY LOCATION: OLO USUZI SUBDIVISION Facility Type: SFD(50×43)


New | Expansion | Repair Basement? Yes No Basement Fixtures? Yes No 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 480 GPD Type of Wastewater System** (See note below, if applicable □) Installation Requirements/Conditions Number of trenches Exact length of each trench Spacing: 9 Feet on Center Septic Tank Size LOOO gallons Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: 6-18 Maximum Trench Depth of: 18-30 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM _____ inches below pipe Aggregate Depth: ______ inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit, Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

	1-	F	11221111
HTE#	1 1	-2-	4344

Permit # <u>29724</u>

Harnett County Department of Public Health Site Sketch





Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Applicant:

Owner:

Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

System

2591260

Available Space (.1945)

System Type(s) Site LTAR

Location Water Evalua	ss: sed Facility: on of Site: Supply: tion Method of Wastewate	- Ange	Desig Prope ☑ Public ☐ In	Evaluated: n Flow (.1949): rty Recorded: dividual	☐ Cut	g Othe	भ		
P R O F I L E	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
j	0-5 re	0-36	6 25	mansho			- 14		
		36.48	SBX SCL	FD 55)NP					P5.5
							-10 2		
2		0-30	C#2	TRINSIND					05
	10	30-48	Sexsa	EU 22/14					b2.2
uon ista									
			2				-		
				16.00					
Descri	ption	In	itial Re	pair System	Other Factors (.1946):	: p =			

Site Classification (.1948):

Others Present:

Evaluated By: 0 \