
HTE# 17-5-43671 Harnett County Department of Public Health

Improvement Permit

Į.	building permit cannot be issued with only an Improvement Permit	
	PROPERTY LOCATION: Beyon Melonb Lo	(US 301 N)
ISSUED TO: Ken Dawson Hon	subdivision	LOT # Pan #
NEW ☐ REPAIR ☐ EXPANSIO	ON Site Improvements required prior to Construction Aut	horization Issuance:
Type of Structure: 3B2 57'×47.5		
Proposed Wastewater System Type: 35% new	aution sos	
Projected Daily Flow: 366 GPD		
Number of bedrooms: 3 Number of Occu	pants: S max	
Basement Yes No	1000 500.	
Pump Required: ☐Yes ☐ No ☐ May be requ	ired based on final location and elevations of facilities	
Type of Water Supply: Community Public	Well Distance from well feet (~ ~ ~ ~) Permit valid for:	Five years
Permit conditions:		☐ No expiration
		— no expiration
124	2	
Authorized State Agent::	CES_TIENTS Date: 1//17/17 SEE A	ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guara	ntees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies	s in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use	changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject	to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditio	ns of this permit.	
	Construction Authorization	
The construction and installation requirements of Bules 1000 1002	(Required for Building Permit)	100 200
with the attached system layout.	954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Syste	ms shall be installed in accordance
9,000		
ISSUED TO: Ken Jawson 1	Homes PROPERTY LOCATION: Byen McLamb SUBDIVISION	Ln (US 361.5)
	SUBDIVISION	LOT # PAR #
Facility Type: 332 57'x47.5' SED	■ New □ Expansion □ Repair	
	tures? Yes No	
		360 000
	e neduction 5)5. (Initial) Wastewater Flow	r: GPD
(See note below, if applicable □)	7	
	(Repair)	
Installation Requirements/Conditions	Number of trenches 3	
Septic Tank Size 1000 gallons	Exact length of each trench Spacing: 9	Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a Soil Cover: 16	inches
•	Maximum Trench Depth of: 38 inches (Maximum soil cover shall	70000000000000
	The second secon	
	This could be a second to the	ottom)
D. D. C. TOU	in all directions)	4
Pump Requirements:ft. TDH vs		inches below pipe
	Aggregate Depth:	inches above pipe
Conditions:		NA inches total
WATER LINES (INCLUDING IRRIGATION) MUST I	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR D		
**If applicable: I understand the system type specified	I is different from the type specified on the application. I accept the specifications of	f this permit.
Owner/Legal Representative Signature:	Date:	
This Construction Authorization is subject to revocation if the site plan,	Date:	ownership of the site. This
Construction Authorization is subject to compliance with the provisions o		E ATTACHED SITE SKETCH
Authorized State Agent:	Merts Date: 11/12/20	7
1	Construction Authorization Expiration Date: 11 17120	277
	a construction autoprization evolution trata: 11 1 4 1 4/3	

Harnett County Department of Public Health Site Sketch



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet:
Property ID:
Lot #:
File #:
Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Wen Duwsa			
Owner: Homes Applicant:	-		
Address: Bryn Mclanb 2 m	Date Evaluated: 11 09 7017		
Proposed Facility: 362 SFD	Design Flow (.1949): 360 600	Property Size:	0.73 A
Location of Site:	Property Recorded:		_
	c□ Individual □ Well	☐ Spring	Other
Evaluation Method: Auger Boring	Pit Cut		
Type of Wastewater:	ge Industrial Process	☐ Mixed	

P R O F I L E	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
l	L 4%	0-24	COL LS	FR GERE					PS
		24-48	BK SLL	FRIPER		48			0.4
3,3	L 4%	0-18	GR LS	VAL SIN Van					Ps
		18-48	BK SCL	en 10 Kg		48			0,4
4	L 4%	U-20	62 LS	VGL 544 1640 FA 5 8 46P					P5
		20-4%	BK SLL	EN 5 PMGP		48			PS 0.4
					· · · · · · · · · · · · · · · · · · ·				
					- 				

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): Provisionally suitable
Available Space (.1945)			Evaluated By: A 2
System Type(s)	25% Me	25% red	Others Present: Hodrew Currin, 18,
Site LTAR	0,4	0.4	1.21