HTE# 18-5-43176 Harnett County Department of Public Health


Improvement Permit

A	building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Christian Light Rd SUBDIVISION	(50 1010)
ISSUED TO: Ailton Built Hom	OS LEGG SUBDIVISION	INT # 3
NEW REPAIR EXPANSION	N 🗆 Site Improvements required prior to Construction Authoriz	ation Issuance:
Type of Structure: 432 58'x72' 5	<u> </u>	and the state of t
Proposed Wastewater System Type: <u>AS % Acade</u> Projected Daily Flow: <u>460</u> GPD	whon sis	
Number of bedrooms: 4 Number of Occup	ants: 8 max	
Basement Yes PNo	and,na	
Pump Required: ☐Yes ☐ No ☐ May be requi	red based on final location and elevations of facilities	
Type of Water Supply: Community Public Permit conditions:	☐ Well Distance from well feet Permit valid for:	☐ Five years ☐ No expiration
	7	
Authorized State Agent::	CENTRES Date: 02 14 2018 SEE ATTAI	CHED SITE SKETCH
The issuance of this permit by the Health Department in no way guaran	tees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in n langes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to co	neeting their requirements. This
	Construction Authorization	
	(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .19 with the attached system layout.	54, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems sl	hall be installed in accordance
ISSUED TO: Milton Built Hom	OS Toc. PROPERTY LOCATION: Christian Light. SUBDIVISION	RJ. (SR 1412)
Facility Type: 4BN 58' × 72'519>	New Expansion Repair	L01 # <u>S</u>
Basement? Yes No Basement Fixt		
	Reduction 533tem (Initial) Wastewater Flow:	4000 000
(See note below, if applicable □)	(Illitial) Wastewater 110W.	Urb Urb
	850 Ned - 5,5, (Repair)	
Installation Requirements/Conditions	Number of trenches 3	
Septic Tank Size 1250 gallons	Exact length of each trench 160 feet Trench Spacing: 9	Feet on Center
Pump Tank Size gallons		ches
	Maximum Trench Depth of: inches (Maximum soil cover shall no	
	(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom	
	in all directions)	
Pump Requirements:ft. TDH vs	_ GPM	inches below pipe
	Aggregate Depth:	inches above pipe
Conditions: On Contour D-Box	Equal Distribution Reguired.	inches total
WATER LINES (INCLUDING IRRIGATION) MILST R	E 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DI		
**If applicable: I understand the system type specified	is different from the type specified on the application. I accept the specifications of the	is permit.
Owner/Legal Representative Signature:	Date:	
	at, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in own the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	nership of the site. This TTACHED SITE SKETCH
source with the provisions of	The Land and notes for senage treatment and disposal and to the conditions of this permit.	ITACILLY SHE SKEICH
Authorized State Agent:	Lean MEHS Date: 02/14/2018	
ANTREW CURAL	Construction Authorization Expiration Date: 02/14/2023	

Harnett County Department of Public Health Site Sketch

ISSUED TO: Milton Built Hones Inc. SUBDIVISION Light Rd. (Sa 1412)

Authorized State Agent: Date: 02/14/2018



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Applicant: M: Hon BIE Hoves Inc. Address: Lot 3 Christian Lt 21 Date Evaluated: 03/14/10 Proposed Facility: 4372 5 Design Flow (.1949): 480 CD Location of Site: Property Recorded: 460	Property Size: 6.42	Ac
Water Supply: Public Individual Well Evaluation Method: Auger Boring Pit Cut Type of Wastewater: Sewage Industrial Process	☐ Spring ☐ ☐ Mixed	Other

P R O F I L E #	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	ORPHOLOGY .1941 Consistence Mineralogy VAL 4551 4cp	.1942 Soil Wetness/ Color	OTHER PROFILE FACTOR .1943 Soil Depth (IN.)	.S .1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
		14.38	BK SCL	E1 58 Fep		38	WO LOT		0.4
3	L 4-6%	0-12	CR LS	NF2 548 Mg					13
		12-36	BK SLL	A 50 9/2		36	140000		6.4
							2		
					5.0.100				

Description	System	Repair System
Available Space (.1945)	-	
System Type(s)	25% Red	25% Med
Site LTAR	0,4	0.4

Other Factors (.1946):

Site Classification (.1948): Provisionally Suitable
Evaluated By:
Others Present:

Andrew Currin, Mests

Others Present: