29876

HTE#_18-5-43a16

Harnett County Department of Public Health

Improvement Permit


Mary Tart	building permit cannot be issued with only an Improvement Permit	11150
ISSUED TO: Jart Custom Homes	PROPERTY LOCATION: 830 Truelove Rd. (52	
		LOT # <u>16</u>
NEW ☐ REPAIR ☐ EXPANSION Type of Structure: 384 54'4" × 3c'6"		ation Issuance:
		<u> </u>
Proposed Wastewater System Type: 25% Nedus Projected Daily Flow: 366 GPD	80/ 3/s.	
Number of bedrooms: 3 Number of Occu	sante: G may	
Basement Yes Ano	pants: max	
	ired based on final location and elevations of facilities	
Type of Water Supply: Community Public		Tivo voore
Permit conditions:	Well Distance from wellleet Fermit valid for.	☐ Five years ☐ No expiration
	3	□ No expiration
Authorized State Agent::	Date: O2/16/2018 SEE ATTAC	CHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantee	ntees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in n	eeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use of the Laws and Rules for Sewage Treatment and Disposal and to condition	hanges. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to co	mpliance with the provisions of
the cams and rules for sewage freatment and bisposal and to condition	is of this perint	
	Construction Authority	
	Construction Authorization	
	(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .1	954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems sl	nall be installed in accordance
with the attached system layout. Most to took		
	PROPERTY LOCATION: 830 Truelove Rd. (SR 1452)
	- SUBDIVISION Taylor Painte	
Facility Type: 332 54'4" × 36'6"	New □ Expansion □ Repair	
	tures? Yes No	
		366 000
	25% reduction 5ystem (Initial) Wastewater Flow:	GPD
(See note below, if applicable □)	a (sala Pa n'a Asia ()	
1000p to HT	Number of trenches 3	
	Number of trenches	
Septic Tank Size 1006 gallons	Exact length of each trench 75 feet Trench Spacing: 9	
Pump Tank Size 1000 gallons		ches
	Maximum Trench Depth of:/8 inches (Maximum soil cover shall no	t exceed
	(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom	m)
	in all directions)	
Pump Requirements:ft. TDH vs	_ GPMA	inches below pipe
	Aggregate Depth: ~~ H	inches above pipe
Conditions: On Contact D-Box 1	Equal Distribution Regulared H	inches total
WATER LINES (INCLUDING IRRIGATION) MUST F	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	3.0
NO UTILITIES ALLOWED IN INITIAL OR REPAIR D		
TOTAL CONTROL		
**If applicable: I understand the system type specified	is different from the type specified on the application. I accept the specifications of the	is permit.
Owner/Legal Representative Signature:	Date:	AND THE RESERVE AND ADDRESS.
This Construction Authorization is subject to revocation if the site plan, p	olat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in own	ership of the site. This
Construction Authorization is subject to compliance with the provisions of	the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	ITACHED SITE SKETCH
Authorized State Agent:	Date: 03/18/2018	
ANDREW CURR	Construction Authorization Expiration Date	

HTE#	18-5-4	3716
------	--------	------

Permit # __ 29876

Harnett County Department of Public Health Site Sketch

marks Tark	PROPERTY LOCATON: 830 Truelove Rd. (SR 1452)	
ISSUED TO: Tast Custom Homes	SUBDIVISION Taylor Pointe LOT # 16	
Authorized State Agent:	Date: Galls/2018	



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Janes nowland Applicant: Tout	Custom Homes		
Address: Lot 1/2 To a govern	Date Evaluated: 09/15/2018		
Proposed Facility: 382 SFS	Design Flow (.1949): 360 GPD	Property Size:	0.461 AC
	Property Recorded: Ves		
	□ Individual □ Well	☐ Spring	Other
Evaluation Method: Auger Boring			
Type of Wastewater:	ge Industrial Process	☐ Mixed	

P R O F I	.1940			DRPHOLOGY .1941	PF	OTHER ROFILE FACTOR	as s		
L E #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1	L 2-46	0-16	62 15	VER 349 150					UPS
		16-38	BK SU	FI 3P Kg	7.5429,026	38			0.4
2,3	L 3-6%	0-16	62 15	VCL 34/1 Was					P3
		16-38	BK 54	F1 31 %	7.54R7, C36"	38			0.4
4,5				Va HAVIA			400		1. (2 2000 - 1 1 1 1 1 1 1
		10-20	BK SLL	FI 50476	7.54271,@181	20			UN3
			11.50						
			# 10 A A MONEY						

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): Unsuitable/ Provisionally 3 vitable
Available Space (.1945)			Evaluated By:
System Type(s)	25/0 rd	25% rel	Others Present: Andrews Currin, MENS
Site LTAR	0.4	0.4	