Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID Lot #: File #: Code:

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner	:	Applicant	:							
Addres			Date l	Evaluated:	2					
Propos	sed Facility:	3 BO	2m Desig	n Flow (.1949): <b>3</b>	Property Size	e:				
	on of Site:		Prope	rty Recorded:	,					
	Supply:		Public In	ndividual 🔲 V		Oth	er			
Evalua	tion Method	: Auge		☐ Pit	☐ Cut					
Type o	f Wastewate	er: S	Sewage	☐ Industrial P	Process Mixed					
					·					
P										
R O										
F			SOIL MO	RPHOLOGY		OTHER				
Ī	.1940			1941	PR	OFILE FACTOR	RS			
L	Landscape	Horizon			.1942				7	
E	Position/	Depth	.1941	.1941	Soil	.1943	.1956	.1944	Profile	
#	Slope %	(In.)	Structure/	Consistence	Wetness/	Soil	Sapro	Restr	Class	
			Texture	Mineralogy	Color	Depth (IN.)	Class	Horiz	& LTAR	-
1	5-7	C. 30	G LS							
•	5-1	0-20	6 L>	ALICATUA						
		10	-01	PRES SA					PS	
		30-17	SEKSCL	45 23 X					. 4	
									1	
2		- 22		1						
-		0.99	GLS	VES NS/14						
		-> 110			107127/2e32"				PS	
		97-40	SBK SCL	m syse	1071272632				. 24	
				.,	7.571.0				,	
									1	

Description	Initial	Repair System	Other Factors (.1946):
	System /		Site Classification (.1948): <b>95</b>
Available Space (.1945)		V	Evaluated By:
System Type(s)	25%	(CED. 575	Others Present:
Site LTAR	.4	.24	

COMMENTS: \_\_\_\_

LANDSCAPE POSITIONS	GROUP	TEXTURES	. <u>1955 LTAR</u>	CONSISTENCE MOIST		WET -
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE FS-FOOT SLOPE	I II	S-SAND LS-LOAMY SAND SL-SANDY LOAM	0.8 - 0.6	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM	,	NS-NON-STICKY SS-SLIGHTY STICKY S-STICKY
N-NOSE SLOPE H-HEAD SLOPE		L-LOAM		VFI-VERY FIRM EFI-EXTREMELY FIRM		VS-VERY STICKY NP-NON-PLASTIC
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	Ш	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3			SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC

IV SIC-SILTY CLAY C-CLAY


0.4 - 0.1

SC-SANDY CLAY

STRUCTURE SG-SINGLE GRAIN M- MASSIVE CR-CRUMB GR-GRANULAR SBK-SUBANGULAR BLOCKY MINERALOGY SLIGHTLY EXPANSIVE

EXPANSIVE

L-P	LAT	GUL TY MAT		BLOC	KY																							
T						Show	profil	e loca	tions	and o	ther s	ite fe	atures	(dim	ension	ıs, ref	erenc	es or	bench	mark	, and	North	1)					T
+																												+
+																									-			+
+		-	-														-		*					7 .	2			+
+													***				*									_		+
+																												+
1																												1
1																												1
																												1
																												Ī
T																												Ī
T																												Ī
T																												1
1																												1
+																												1
+									a																			+
+	-																											+



## SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC., INC.

PROPOSED	SUBSURFACE	WASTE	DISPOSAL	SYSTEM	DETAIL	SHEET

	SUBDIVISION: Summerlin	LOT (	
	INITIAL SYSTEM: APPROVED 25% RECUG	TION REPAI	RApproved 25% Reduction
	DISTRIBUTION: Serial	DISTR	BUTION Serial .
	BENCHMARK: 100.0	LOCAT	10N FC Iron Lot 9/10
	NO. BEDROOMS: 3	LTAR	0,4 6PD/FT2
	LINE FLAG COLOR	ELEVATION	LENGTH
15	/ B	101.00	130
	7a W	100.58	225
			,
1	2b W	100.58	25
2)	3 B	100,25	90 35
-	5 1	99.67	35
	6 N	99,25	3 230
	BYB.C. Raynor		DATE 05/07/2017
	TYPICAL PROFILE	e	THERE SHALL BE NO GRADING,
	0-20 LS Frigran	ed.	CUTTING, LOGGING OR OTHER SOIL
	20-40 SCL firm SBK	55	DISTURBANCE IN SEPTIC AREA
	Cr 2@ 30"		ANY DISTURBANCEMAY CAUSE A SITE

TO BECOME UNSUITABLE

