30004

HTE# 18-5-434BO

## Harnett County Department of Public Health

Improvement Permit

A Duilding permit cannot be issued with only		
ISSUED TO: H+H CONSTRUCTORS INC SUBDIVISION OF	Docs RD 2x0017 101#299	
WELL TO THE PARTY OF THE PARTY		
Type of Structure: 550 (34 ×56)	mprovements required prior to Construction Authorization Issuance:	
Proposed Wastewater System Type: 25% REDUCTION SYSTEM		
Projected Daily Flow:		
Number of bedrooms: Number of Occupants: 8 max		
Basement 🗆 Yes 🔀 No		
Pump Required: ☐Yes ☐ No ☐May be required based on final location and elevations of	f facilities	
Type of Water Supply:  Community Public Well Distance from well	feet Permit valid for: Five years	
Permit conditions:	— □ No expiration	
The state of the s	_1	
Authorized State Agent:: Date: 3	3 18 SEE ATTACHED SITE SKETCH	
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.		
Construction Authori	ization	
(Required for Building Per	mit)	
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorpo with the attached system layout.	rated by references into this permit and shall be met. Systems shall be installed in accordance	
ISSUED TO: H+H CONSTOVES ORS INC PROPERTY LOCAT		
CEO (39 XCC')	OAKMONT LOT # 299	
	□ Repair	
Basement?  Yes No Basement Fixtures?  Yes No		
Type of Wastewater System** 25%, REDUCTION SYSTEM	(Initial) Wastewater Flow: 480 GPD	
(See note below, if applicable [7])		
25% REDUCTION Sys. (Repair	ir)	
Installation Requirements/Conditions Number of trenches \(\frac{1}{2}\)		
Septic Tank Size 1000 gallons Exact length of each trench 150	feet Trench Spacing: Feet on Center	
Pump Tank Size 1000 gallons Trenches shall be installed on contour		
Maximum Trench Depth of: 18		
(Trench bottoms shall be level to +/-I	A CONTROL OF THE PROPERTY OF T	
in all directions)	/4" 36" above the trench bottom)	
	***	
Pump Requirements:ft. TDH vs GPM	inches below pipe	
Condition	Aggregate Depth: inches above pipe	
Conditions:	inches total	
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC S	SYSTEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.		
**If applicable: I understand the system type specified is different from the type specified on to	the application I among the surface of the	
- Approanted the system type specimen is unierent from the type specimen on the	ne application. Taccept the specifications of this permit.	
Owner/Legal Representative Signature:	Date:	
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes.	orization shall not be transferred when there is a change in ownership of the site. This	
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.  SEE ATTACHED SITE SKETCH		
The Marie of the Control of the Cont	1 1	
Authorized State Agent: R63-5	_ Date: 3 13 18	
Construction Authorization	Expiration Date: 3/13/23	


## Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: Docs Ro	
ISSUED TO: H+17 CONSTRUCTORS INC SUBDIVISION DARMONT	LOT # 299
Authorized State Agent: Date: 3 13 18	

# IF A PUMP IS NEEDED

MOVE SYSTEM UP

THE HILL



SUNNYBROOK LN.