

HTE# 18-5-43515

Harnett County Department of Public Health

29927

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: NC 210 N.

SUBDIVISION

LOT #

ISSUED TO: Daniel R. PetersNEW REPAIR EXPANSION Type of Structure: 3BR 60'x43' SFProposed Wastewater System Type: 25% reduction sys.Projected Daily Flow: 366 GPDNumber of bedrooms: 3 Number of Occupants: 6 maxBasement Yes NoPump Required: Yes No May be required based on final location and elevations of facilitiesType of Water Supply: Community Public Well Distance from well _____ feetPermit valid for: Five years No expiration

Permit conditions:

Pump may be required if fall can not be maintainedAuthorized State Agent: Andrew Currin Date: 03/26/2018

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Daniel R. PetersPROPERTY LOCATION: NC 210 N.

LOT #

Facility Type: 3BR 60'x43' SF New Expansion RepairBasement? Yes NoBasement Fixtures? Yes No

Type of Wastewater System**

25% reduction system(Initial) Wastewater Flow: 360 GPD(See note below, if applicable)25% reduction system (Repair)Installation Requirements/ConditionsSeptic Tank Size 1000 gallonsNumber of trenches 1

Pump Tank Size _____ gallons

Exact length of each trench 225 feetTrench Spacing: 9 Feet on Center

Trenches shall be installed on contour at a

Soil Cover: 6-12 inchesMaximum Trench Depth of: 18-24 inches

(Maximum soil cover shall not exceed

(Trench bottoms shall be level to +/- 1/4"

36" above the trench bottom)

in all directions)

Pump Requirements: _____ ft. TDH vs. _____ GPM

NA inches below pipeConditions: Four (4) (6ft. apart) distribution lines may be used if contour allows. Pump may be required if fall cannot be maintainedAggregate Depth: NA inches above pipeNA

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.

NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____

Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: Andrew CurrinDate: 03/26/2018ANDREW CURRINConstruction Authorization Expiration Date: 03/26/2023

HTE# 18-5-43515

Permit # 29927

Harnett County Department of Public Health Site Sketch

ISSUED TO: Daniel R. Peters

PROPERTY LOCATON:

20 210 2.

SUBDIVISION

LOT #

Authorized State Agent:

Date: 03/26/2018

ANDREW CERRIN

