30102

HTE# 18-5-43950

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION:	
ISSUED TO: BENJAMIN STOUT SUBDIVISION	STONE CROSS LOT # 11)
NEW REPAIR FEMALE EXPANSION TO Type of Structure:	Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: 25% REDUCTION SYSTEM	
Projected Daily Flow: 360 GPD	
Number of bedrooms: 3 Number of Occupants: 6 max	
Basement □Yes ⋈ No	
Pump Required: □Yes ■ No □ May be required based on final location and elevations of facilities	
Type of Water Supply: Community Public Well Distance from well Permit conditions:	feet Permit valid for: Five years No expiration
- LAB	
Authorized State Agent:: Date: Date:	5 2) 18 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	
Construction Aut	thorization
(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are with the attached system layout.	e incorporated by references into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: BENZAMIN STOUT PROPERTY	LOCATION
THO ENT	
	N STONE CROSS LOT # 11)
	on 🗆 Repair
Basement? ☐ Yes ☒ No Basement Fixtures? ☐ Yes ☐ No	3()
Type of Wastewater System** 25% REDUCTION SYSTE	
(See note below, if applicable)	(Repair)
Installation Requirements/Conditions Number of trenches 3	
Septic Tank Size 1000 gallons Exact length of each trench 7	feet Trench Spacing: 9 Feet on Center
Pump Tank Size gallons Trenches shall be installed on co	0
Maximum Trench Depth of:	
(Trench bottoms shall be level to	and a property of the contract
in all directions)	above the trench bottom)
Pump Requirements:ft. TDH vs GPM	inches helevy since
	Aggregate Depth: inches below pipe
Conditions:	
	inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.	
Owner/Legal Representative Signature:	
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This	
Construction Authorization is subject to recognitance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	
Authorized State Agent: Construction Authorization Expiration Date: 5 21 8 5 21 23	
Construction Authorization Expiration Date: 5 P1/23	

Harnett County Department of Public Health Site Sketch

Authorized State Agent:

PROPERTY LOCATON:

SUBDIVISION STONE CROSS

LOT # 111

DENS OLIVER TOLKSDORD Date: 5 21 18

