30070

HTE# 18-5-4410\ Harnett County Department of Public Health

Improvement Permit

| A bu | uilding permit cannot be issued with only an Improvement Permit | 1 |
|--|--|------------|
| 150150 TO Calab Same Hook | FOR TE PROPERTY LOCATION: Cokesby road (521403 |) |
| ISSUED TO: Kalph Speace Harring | 70BDIAI2ION | |
| NEW REPAIR EXPANSION | Site Improvements required prior to Construction Authorization Issuance: | |
| Type of Structure: 33 12 x 66 55 202 3 | | |
| Proposed Wastewater System Type: 25% Neds Projected Daily Flow: 240 GPD | thon 5 yz, | |
| , , | | |
| Number of bedrooms: Number of Occupan | ts:max | |
| And the state of t | d based on final location and elevations of facilities | |
| Type of Water Supply: Community Public Public | - 1 20C) - (- APAI (FO) (-) | - |
| Permit conditions: | Well Distance from well 1 CO feet 1 FIVE Permit valid for: ☐ Five years □ No expiration | on |
| | — no expiration | Л |
| , /// | | |
| Authorized State Agent:: | Date: 06/05/2018 SEE ATTACHED SITE SKETCH | |
| The issuance of this permit by the Health Department in no way guarantee | s the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirement | nts. This |
| site is subject to revocation if the site plan, plat, or the intended use chan | iges. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the pro- | visions of |
| the Laws and Rules for Sewage Treatment and Disposal and to conditions o | f this permit. | |
| | | |
| | Construction Authorization | |
| | (Required for Building Permit) | |
| The construction and installation requirements of Rules .1950, .1952, .1954, | , .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in according | ordance |
| with the attached system layout. | | |
| ISSUED TO: Raph Space Harrington | THE PROPERTY LOCATION: CONTRACT OF CONTRACT | 02) |
| 1330ED TO. TEATH AND FLORE PROPERTY OF THE PERTY OF THE P | PROPERTY LOCATION: Cookestory 12d. (S12 14d | |
| Facility Type: 2BA 33.5 X CL 5 SFE | | |
| , , , , , , , , , , , , , , , , , , , | ··· ······ - ······ | |
| Basement? Yes No Basement Fixture | | |
| Type of Wastewater System** | Mediction System (Initial) Wastewater Flow: 240 | GPD |
| (See note below, if applicable \square) | 1 1 5 | |
| | duction 5/5 (Repair) | |
| ~ | Number of trenches 3 | |
| | Exact length of each trench feet | |
| Pump Tank Size gallons 1 | Frenches shall be installed on contour at a Soil Cover:/ 6 inches | |
| 1 | Maximum Trench Depth of: 28 inches (Maximum soil cover shall not exceed | |
| (| Trench bottoms shall be level to $\pm \frac{1}{4}$ 36" above the trench bottom) | |
| i | n all directions) | |
| | GPM inches below | w pipe |
| | Aggregate Depth: inches abo | |
| Conditions: Op Context D-Box | Equal Distribution Required NA inche | s total |
| | The state of the s | 3 total |
| WATER LINES (INCLUDING IRRIGATION) MUST BE | TOET CROW ANY DART OF CERTIC CYCTEM OR REPAIR AREA | |
| MAIER LINES (INCLUDING IKKIGALION) MOST BE | 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. | |
| NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRA | AIN FIELD AKEA. | |
| **If applicable: I understand the system type specified is | different from the type specified on the application. I accept the specifications of this permit. | |
| | ,, , | |
| Owner/Legal Representative Signature: | Date: | |
| | or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This | |
| | e Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKI | |
| | The All Politic Street | |
| Authorized State Agent: | 1 100 100 100 100 100 100 100 100 100 1 | |
| 0 - 0 - | Construction Authorization Expiration Date: $06/05/3018$ | |
| ANDREW CURRIN | Construction Authorization Expiration Date: | |

HTE# 18-5-44101

Permit # ______300-76

Harnett County Department of Public Health Site Sketch

| Authoriz | zed State Agent: | 2> | Harrington ANDA X EQUA | Ew a | ROPERTY LOCAT SUBDIVISION NO. | N | _ Date: | 06/05/ | LOI # | |
|----------|------------------|-----|------------------------------|--------------|---------------------------------|------------------------------------|---------|--------|-------|-----|
| DISTA | libution | SME | aumes | > | 250 | | | | | |
| 3501 | _140 | | 25% REDUCTION | 35% NED 575. | A - | PROPOSES PROPOSES ACCESS ACCESS | 6,351 | 561 | EASE | 28° |

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #:

Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

| w-th | | |
|---|----------------|--------|
| Owner: Applicant: Laph Speec Harriston III Address: Collisbury Read Date Evaluated: Octobral 2018 Proposed Facility: 2000 Design Flow (1949): 260 GPD | _ | |
| Proposed Facility: 232 5 Date Evaluated: October Proposed Facility: 232 5 Design Flow (.1949): 260 CRD | | 111220 |
| Design Flow (.1747). | Property Size: | 1.43AC |
| Location of Site. Property Recorded: 7 | | |
| Water Supply: Public Individual Well | ☐ Spring | Other |
| Evaluation Method: Auger Boring Pit Cut | | |
| Type of Wastewater: Sewage Industrial Process | ☐ Mixed | |
| | | |

| P R O F I L E | .1940 Landscape Position/ Slope % | Horizon Depth (In.) | Depth .1941 .1941 | | .1942 Soil Wetness/ | Profile Class | | | |
|---------------------------------|--|---------------------------|-------------------|--------------|---------------------------|---------------------|----------------|----------------|--------|
| | | | Texture | Mineralogy | Color | Soil Depth (IN.) | Sapro Class | Restr Horiz | & LTAR |
| 1,2 | L 4-69 | 60-12 | CA 5L | VEL 5558 840 | TAL | | | | PS |
| | | 12-48 | BU C | 42 84 Exp | (3) | 48 | ,t | | PS G3 |
| | | | | | 1 | | | | |
| 34 | L466 | 0-12 | GZ 5L | Va 35/1 5/5 | [MERMA] | | 200 | | P5 |
| | | 12-38 | gh c | F1518 | | 38t | | | 03 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | 2003 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | 199.90 | | | | |
| | | 1 | | | | | | | |

| Description | Initial | Repair System | Other Factors (.1946): |
|-------------------------|---------|---------------|---|
| | System | | Site Classification (.1948): Provisionally Suitable |
| Available Space (.1945) | ~ | | Evaluated By: |
| System Type(s) | 25% 42 | 25/0100 | Others Present: Andrew Corrin, Wetts |
| Site LTAR | 003 | 0:3 | , 11,6,600 |