

Applicant:

Owner:

Date Evaluated:

Address:

Property Size:

Proposed Facility: RETAIL STORE

Design Flow (.1949):  $605 \text{ cfs}$  BASED ON WATER DATA

Property Recorded:

Location of Site:

Water Supply: ☒ Public ☐ Individual

[ ] Well

☐ Spring

☐ Other

Evaluation Method: ☒ Auger Boring

[ ] Pit

☐ Cut

Type of Wastewater: ☒ Sewage

☐ Industrial Process

☐ Mixed[illegible]

| Description             | Initial System | Repair System |
|-------------------------|----------------|---------------|
| Available Space (.1945) | ✓              | ✓             |
| System Type(s)          | CON            | CON           |
| Site LTAR               | .8             | .8            |

Other Factors (.1946): \_\_\_\_\_

Site Classification (.1948): S

Evaluated By: 

Others Present:

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_LANDSCAPE POSITIONSGROUPTEXTURES.1955 LTARCONSISTENCE MOISTWET

R-RIDGE

I

S-SAND

1.2 - 0.8

S-SHOULDER SLOPE

LS-LOAMY SAND

VFR-VERY FRIABLE

NS-NON-STICKY

L-LINEAR SLOPE

II

SL-SANDY LOAM

0.8 - 0.6

FR-FRIABLE

SS-SLIGHTLY STICKY

FS-FOOT SLOPE

L-LOAM

FI-FIRM

S-STICKY

N-NOSE SLOPE

III

SI-SILT-

0.6 - 0.3

VFI-VERY FIRM

VS-VERY STICKY

H-HEAD SLOPE

SIL-SILT LOAM

EFI-EXTREMELY FIRM

NP-NON-PLASTIC

CC-CONCLAVE SLOPE

CL-CLAY LOAM

SP-SLIGHTLY STICKY

CV-CONVEX SLOPE

SCL-SANDY CLAY LOAM

P-PLASTIC

T-TERRACE

SICL-SILTY CLAY LOAM

VP-VERY PLASTIC

FP-FLOOD PLAN

IV

SIC-SILTY CLAY

0.4 - 0.1

C-CLAY

SC-SANDY CLAY

STRUCTURE

SG-SINGLE GRAIN

M-MASSIVE

CR-CRUMB

GR-GRANULAR

SBK-SUBANGULAR BLOCKY

ABK-ANGULAR BLOCKY

PL-PLATY


PR-PRISMATIC

MINERALOGY

SLIGHTLY EXPANSIVE

EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



PLYON SIGN TO BE A MINIMUM OF 5' OFF ALL PROPERTY LINES.

MAILBOXES AND NCDOT SIGN TO BE RELOCATED

PROPOSED WATER SERVICE

PHONE PEDASTAL

PROPOSED 12' ADDITIONAL R/W FOR WIDENING

MAILBOXES

50' STORAGE

100' TAPER

PHONE PEDASTAL

N 83°04'24" E

PROPOSED PROPERTY LINE

474.24'

20' MINIMUM BUILDING SET

18' x 18' DUMPSTER PAD WITH 6' PRIVACY SCREENING

3/4" WATER SERVICE - SEE BUILDING PLANS FOR DETAILS (MATERIAL, COVER, AND CONSTRUCTION AS PER NC PLUMBING CODE)

PROPOSED DOLLAR GENERAL STORE

130'

20' MINIMUM BUILDING S

20' MINIMUM BUILDING

N 88°51'42" W

ENCROACHMENT AS PER SURVEY.

N 32°19'24" W

S 88°51'01" W

N/T HERE TELEPHONE 730/1777 PC 1.5.285

N/T WINDHAM 2082/273

427