

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Kathy + Brian Caroka New Installation Septic Tank
 Property Location: SR# 1450 Ball Repairs Nitrification Line

Subdivision Hickory Valley Lot # 39

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 4 Lot Size: _____

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other EEE-272 LRG EANS .95-377

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 4 exact length of each ditch 90 ft. width of ditches 3 ft. depth of ditches 18-20 in.

French Drain Required: - Linear feet

Date: 4-17-02

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Monhart
Environmental Health Specialist

Replaces Permit #

18401

#01-5-1495

